



Koncovky








Fittings for hydraulic hoses









Накрайници за хидравлични маркучи

Obsah Description / Съдържание	Schéma Scheme/Схема	Kód Reference / Код	Strana Page / Страница
Objímka s orezom pre hadicu 1SN Swaged Ferrule (skive) for hose 1SN Чаша със забелванеза маркуч 1SN		0001	81
Objímka s orezom pre hadicu 2SN Swaged Ferrule (skive) for hose 2SN Чаша със забелванеза маркуч 2SN		0002	82
Objímka s orezom pre hadicu 2SN - 4SP Swaged Ferrule (skive) for hose 2SN - 4SP Чаша със забелванеза маркуч 2SN - 4SP		0011	83
Objímka bez orezu pre hadicu 1SN-2SN-2SC-R16-R17 Swaged Ferrule (no skive) for hose 1SN-2SN-2SC-R16-R17 Чаша без забелванеза маркуч 1SN-2SN-2SC-R16-R17		0022	84
Objímka s orezom pre hadicu 4SP - 4SH Swaged Ferrule (skive) for hose 4SP - 4SH Чаша със забелванеза маркуч 4SP - 4SH		0009	85
Objímka s orezom pre hadicu 4SH Swaged Ferrule (skive) for hose 4SH Чаша със забелванеза маркуч 4SH		004H	86
Objímka NT Steel ferrule NT Чаша NT		BA	87
Objímka PTFE Steel ferrule PTFE Чаша PTFE		A	88
Objímka pre termoplastické hadice Swaged Ferrule (no skive) Чаша без забелване		0007	89
AGR BSP Male Parallel 60° cone		0350	90 - 91
AGR - RO otočná BSP Male Parallel 60° Cone - Rotating въртящ		035G	92
AGR-K BSP Taper Male 60° cone		0360	93

Obsah Description / Съдържание	Schéma Scheme/Схема	Kód Reference / Код	Strana Page / Страница
AGN NPTF Male 60° cone		0370	94
DKN NPSM Female 60° cone		N051	95
AGR-F BSP Male - Flat Seat		0345	96
DKR- F BSP Female Flat Seal		0060	97
DKR BSP Female 60° cone Thrust Wire		0050	98-99
DKR 90° BSP 90° Swept Elbow 60° cone Thrust Wire		0150	100
DKR 45° BSP 45° Swept Elbow 60° cone Thrust Wire		0250	101
DKR BSP Female 60° Cone Rolled Nut		0051	102
DKR 90° BSP 90° Swept Elbow 60° Cone Rolled Nut		0151	103
DKR 45° BSP 45° Swept Elbow 60°Cone Rolled Nut		0251	104
DKOR BSP O'Ring Female 60° Cone		0041	105
DKOR 90° BSP O'Ring 90° Swept Elbow 60° Cone		0141	106











Obsah Description / Съдържание	Schéma Scheme/Схема	Kód Reference / Код	Strana Page / Страница
DKOR 45° BSP O'ring 45° Female 60° cone		0241	107
DKR 90°K BSP 90° Compact Elbow 60° Cone (welded)		2301	108
DKR 90°K BSP 90° Compact Elbow 60° Cone (forged)		2321	109
RNR BSP banjo BSP банджо		1400	110
AGJ JIC Male 74° cone		0850	111 - 112
DKJ JIC Female 74° cone Thrust Wire		0900	113 - 114
DKJ 90° JIC 90° Swept Elbow 74° cone Thrust Wire		0950	115 - 116
DKJ 45° JIC 45° Swept Elbow 74° cone Thrust Wire		1000	117
DKJ JIC Female 74° cone Roller Nut		0901	118 - 119
DKJ 90° JIC 90° Swept Elbow 74° cone Roller Nut		0951	120
DKJ 45° JIC 45°swept elbow 74°cone Roller Nut		1001	121
DKJ 90°K JIC 90° Compact Elbow 74° Cone Thrust Wire (welded)		2950	122

Obsah Description / Съдържание	Schéma Scheme/Схема	Kód Reference / Код	Strana Page / Страница
DKJ 90°K JIC 90° Compact Elbow 74° Cone Thrust Wire (forged)		2971	123
DKL Metric Swept Elbow 24° - 60° Seat Light Multiseal		0035	124
DKL 90° 90° Metric Swept Elbow 24° - 60° Seat Light Multiseal		0135	125
DKL 45° 90° Metric Swept Elbow 24° - 60° Seat Light Multiseal		0235	126
RNM Banjo metric		1350	127
CEL Metric male 24°seat light		0500	128
CES Metric Male 24° Seat Heavy		0450	129
DKOL Metric female 24°seat light		0085	130
DKOL 90° 90° Metric Swept Elbow 24° Seat Light		0185	131
DKOL 45° 45° Metric Swept Elbow 24° Seat Light		0285	132
DKOS Metric Female 24° Seat Heavy		0084	133
DKOS 90° 45° Metric Swept Elbow 24° Seat Heavy		0184	134

Obsah Description / Съдържание	Schéma Scheme/Схема	Kód Reference / Код	Strana Page / Страница
DKOS 45° 45° Metric Swept Elbow 24° Seat Heavy		0284	135
DKLM Metric Female 60° cone		0100	136 - 137
DKLM 90° 90° Metric Female 60° cone		0200	138
DKLM 45° 45° Metric Female 60° cone		0300	139
BEL-BES Metric Standpipe		0550	140 - 141
BEL -BES 90° 90° Metric Standpipe		0650	142
BEL -BES 45° 45° Metric Standpipe		0750	143
Karcher Karcher Female		FK50	144
Karcher Karcher Male for gan		FN50	145
Stecko Staplelock Male Щеко		0398	146
ORFS AK ORFS male		S350	147
ORFS DK ORFS Female		S050	148







Obsah Description / Съдържание	Schéma Scheme/Схема	Kód Reference / Код	Strana Page / Страница
ORFS DK 90° ORFS 90° Swept Elbow		S150	149
ORFS DK 45° ORFS 45° Swept Elbow		S250	150
Nissan JIS JIS Female 60° cone (Nissan)		0920	151
Toyota JIS JIS Female 60° cone (Toyota)		0930	152
TOYOTA JIS 90° 90° JIS Swept Elbow (Toyota) - welded		0980	153
TOYOTA JIS 45° 45° JIS Swept Elbow (Toyota) - welded		1030	154
KOMATSU JIS JIS Female 60° Cone (Komatsu)		0940	155
KOMATSU JIS 90° 90° JIS Swept Elbow (Komatsu) - welded		0990	156
KOMATSU JIS 45° 45° JIS Swept Elbow (Komatsu) - welded		1040	157
SFL Straight SAE Flange 3000 PSI		1260	158
SFL 90° 90° SAE Flange 3000 PSI		1060	159
SFL 45° 45° SAE Flange 3000 PSI		1160	160

Obsah Description / Съдържание	Schéma Scheme/Схема	Kód Reference / Код	Strana Page / Страница
SFS Straight SAE Flange 6000 PSI		1310	161
SFS 90° 90° SAE Flange 6000 PSI		1110	162
SFS 45° 45° SAE Flange 6000 PSI		1210	163
SFL 90° L 90° SAE Flange 3000 Psi - Long Drop		FS3L	164
SFS 90° L 90° SAE Flange 6000 Psi - Long Drop		FS6L	165
SFC Straight 'CAT' Flange		130S	166
SFC 90° 90° 'CAT' Flange		110S	167
SFC 45° 45° CAT Flange		120S	168
Hadicová spojka Hose Junction спойка за маркуч		D050	169
Navaracia koncovka Weldable Fitting накрайник за заваряване		GS00	170 - 171
AGR-F BSP Male flat seat		0345B nízkotlakové/ low pressure	172
AGR BSP Male 60° seat		0350B nízkotlakové/ low pressure	173

Obsah Description / Съдържание	Schéma Scheme/Схема	Kód Reference / Код	Strana Page / Страница
DKR BSP Female 60° Cone		0051B nízkotlakové/ low pressure	174
DKR 90° BSP 90° Swept elbow 60° Cone		0151B nízkotlakové/ low pressure	175
DKR 45° BSP 45° Swept elbow 60° Cone		0251B nízkotlakové/ low pressure	176
DKR F BSP Female flat seat		0060B nízkotlakové/ low pressure	177
DKR F 90° BSP 90° Swept elbow flat seat		0160B nízkotlakové/ low pressure	178
CEL Metric male 60° seat		0400B nízkotlakové/ low pressure	179
DKL M Metric female 60° Cono		0100B nízkotlakové/ low pressure	180
DKL F - rovné čelo Metric female flat face		1010B nízkotlakové/ low pressure	181
DKL M 90° 90° Metric swept elbow 60° Cone		0200B nízkotlakové/ low pressure	182
DKL M 45° 45° Metric swept elbow 60° Cone		0300B nízkotlakové/ low pressure	183
RNM Metric Banjo		1350B nízkotlakové/ low pressure	184
RNR BSP Banjo		1400B nízkotlakové/ low pressure	185

Obsah Description / Съдържание	Schéma Scheme/Схема	Kód Reference / Код	Strana Page / Страница
DKR Push-On Push-on - BSP Female 60° Cone		P050 nízkotlakové/ low pressure	186
DKR 90° Push-On Push-on - BSP 90° Swept elbow 60° Cone		P150 nízkotlakové/ low pressure	187
DKR 45° Push-On Push-on - BSP Male 60° seat		P350 nízkotlakové/ low pressure	188
Objímka s orezom pre hadicu R9 - 4SP - 4SH Swaged Ferrule (skive) for hose R9 - 4SP - 4SH Чаша със забелканеза маркуч R9 - 4SP - 4SH		004N Interlock	189
Objímka s orezom pre hadicu R13 - R15 Swaged Ferrule (skive) for hose R13 - R15 Чаша със забелканеза маркуч R13 - R15		0013 Interlock	190
AGR-K BSP Taper Male 60° cone		0360 Interlock	191
AGN NPTF Male 60° cone		0370 Interlock	192
AGR BSP Male Parallel 60° cone		0350 Interlock	193
DKR BSP Female 60° cone Thrust Wire		0050 Interlock	194
DKR 90° BSP 90° Swept Elbow 60° cone Thrust Wirea		0150 Interlock	195
DKR 45° BSP 45° Swept Elbow 60° cone Thrust Wire		0250 Interlock	196
AGJ JIC Male 74° cone		0850 Interlock	197

Obsah Description / Съдържание	Schéma Scheme/Схема	Kód Reference / Код	Strana Page / Страница
DKJ JIC Female 74° cone Thrust Wire		0900 Interlock	198
DKJ 90° JIC 90° Swept Elbow 74° cone Thrust Wire		0950 Interlock	199
DKJ 45° JIC 45° Swept Elbow 74° cone Thrust Wire		1000 Interlock	200
CES Metric Male 24° Seat Heavy		0450 Interlock	201
DKOS Metric Female 24° Seat Heavy		0084 Interlock	202
DKOS 90° 90° Metric Swept Elbow 24° Seat Heavy		0184 Interlock	203
DKOS 45° 45° Metric Swept Elbow 24° Seat Heavy		0284 Interlock	204
ORFS ORFS Female		S050 Interlock	205
ORFS ORFS Female Back Hexagon		S05T Interlock	206
ORFS 90° ORFS 90° Swept Elbow		S150 Interlock	207
ORFS 45° ORFS 45° Swept Elbow		S250 Interlock	208
SFL Straight SAE Flange 3000 PSI		1250 Interlock	209

Obsah Description / Съдържание	Schéma Scheme/Схема	Kód Reference / Код	Strana Page / Страница
SFL 90° 90° SAE Flange 3000 PSI		1050 Interlock	210
SFL 45° 45° SAE Flange 3000 PSI		1150 Interlock	211
SFS Straight SAE Flange 6000 PSI		1300 Interlock	212
SFS 90° 90° SAE Flange 6000 PSI		1100 Interlock	213
SFS 45° 45° SAE Flange 6000 PSI		1200 Interlock	214
SFC SUPERCAT Straight 'CAT' Flange		130S Interlock	215
SFC 90° SUPERCAT 90° 'CAT' Flange		110S Interlock	216
SFC 45° SUPERCAT 45° CAT Flange		120S Interlock	217

Objímka

s orezom

- Swaged Ferrule (skive)
- Чаша със забелзване
- pre hadicu/for hose/за маркуч
- 1SN



Označenie

Code

Код

φ hadice

I.D. - hose

φ маркуча

in

mm

D

L

0001-03	3/16	4,8	17,5	27,0
0001-04	1/4	6,4	20,0	29,0
0001-05	5/16	7,9	20,0	30,0
0001-06	3/8	9,5	24,0	32,0
0001-08	1/2	12,7	28,0	33,3
0001-10	5/8	15,9	32,0	35,8
0001-12	3/4	19	36,0	42,6
0001-16	1	25,4	43,0	49,0
0001-20	1 1/4	31,8	50,0	50,2
0001-24	1 1/2	38,1	57,0	70,0
0001-32	2	50,8	70,0	72,1

Objímka

s orezom

- Swaged Ferrule (skive)
- Чаша със забелзване
- pre hadicu/for hose/за маркуч
- 2SN



Označenie

Code

Код

φ hadice
I.D. - hose
φ маркуча

in mm

D


L

0002-03	3/16	4,8	20,0	27,0
0002-04	1/4	6,4	20,0	29,0
0002-05	5/16	7,9	22,0	30,0
0002-06	3/8	9,5	24,0	31,8
0002-08	1/2	12,7	28,0	33,4
0002-10	5/8	15,9	32,0	36,0
0002-12	3/4	19	36,0	42,5
0002-16	1	25,4	45,0	49,0
0002-20	1.1/4	31,8	54,0	52,5
0002-24	1.1/2	38,1	62,0	63,0
0002-32	2	50,8	75,0	79,0

Objímka

s orezom

- Swaged Ferrule (skive)
- Чаша със забелване
- pre hadicu/for hose/за маркуч
- 2SN - 4SP



Označenie

Code

Код

ϕ hadice

I.D. - hose

ϕ маркуча

in

mm

D

L

0011-04	1/4	6,4	22,0	30,0
0011-05	5/16	7,9	24,0	31,0
0011-06	3/8	9,5	26,0	33,2
0011-08	1/2	12,7	30,0	34,1
0011-10	5/8	15,9	32,9	39,2
0011-12	3/4	19,0	38,0	39,9
0011-16	1	25,4	46,0	54,2
0011-20	1.1/4	31,8	57,0	60,0
0011-24	1.1/2	38,1	65,0	70,0
0011-32	2	50,8	79,0	72,0

Objímka bez orezu

- Swaged Ferrule (no skive)
 - Чаша без забелване
- pre hadicu/for hose/за маркуч
1SN-2SN-2SC-R16-R17



Označenie Code Код	φ hadice I.D.- hose φ маркуча	D	L
	in	mm	
0022-03	3/16	4,8	21,0
0022-04	1/4	6,4	22,1
0022-05	5/16	7,9	24,0
0022-06	3/8	9,5	26,0
0022-08	1/2	12,7	30,0
0022-10	5/8	15,9	33,0
0022-12	3/4	19	37,0
0022-16	1	25,4	46,0
0022-20	1 1/4	31,8	58,0
0022-24	1 1/2	38,1	65,0
0022-32	2	50,8	78,0

Objímka

s orezom

- Swaged Ferrule (skive)
- Чаша със забелзване
- pre hadicu/for hose/за маркуч
- 4SP - 4SH



Označenie Code Код	φ hadice I.D. - hose φ маркуча	D	L	platí pre valid for важи за
in	mm			
0009-08	1/2	12,7	30,0	35,0
0009-10	5/8	15,9	31,9	37,8
0009-12	3/4	19	37,9	42,0
0009-16	1	25,4	46,0	60,0

Objímka

s orezom

- Swaged Ferrule (skive)
- Чаша със забелване
- pre hadicu/for hose/за маркуч
- 4SH



Označenie

Code

Код

φ hadice

I.D. - hose

φ маркуча

in

mm

D

L

platí pre

valid for

важи за

004H-20

1.1/4

31,8

55,0

87,9

DIN 4SH

004H-24

1.1/2

38,1

67,0

76,3

DIN 4SH

004H-32

2

50,8

77,9

80,0


DIN 4SH

Objímka NT

– Steel ferrule NT

– Чаша NT

pre hadicu/for hose/за маркуч
nízkotlakovú/low pressure/за
низко налягане



Озnačenie
Code
Označenie


D C F H

BA-012-013	13,3	12	7	20
BA-014-015	15,5	14	8	25
BA-016-017	17,5	16	10	25
BA-018-019	19,7	18	12	25
BA-020-022	21,5	20,1	14,5	25,3
BA-024-026	26,2	24	15	25
BA-026-027	27,4	26	17	25
BA-031-032	32,6	31	22	28
BA-037-038	38,6	37	27	28
BA-044-046	46	44	34	28
BA-042-045	45	42	30	42
BA-046-050	50	46	34	46
BA-048-052	52	48	35	46
BA-051-055	55	51	42	48
BA-056-060	60	56	43	50
BA-061-065	65	61	44	51
BA-065-070	70	65	53	54
BA-070-075	75	70	55	56
BA-077-082	82	77	65	64
BA-080-085	85	80	68	64
BA-085-090	90	85	66	63
BA-095-100	100	95	79	68
BA-100-105	105	100	84	76

Objímka PTFE

– Swaged Ferrule


pre hadicu/for hose/за маркуч
PTFE



Označenie Code Код	φ hadice I.D. - hose φ маркуча	D in	L	d	platí pre valid for важи за
PTFE14	1/4	6,4	15,0	30,0	10,9 PTFEIP
PTFE516	5/16	8	17,0	30,0	13,0 PTFEIP
PTFE38	3/8	9,5	19,0	32,0	15,0 PTFEIP
PTFE12	1/2	12,7	24,0	34,0	18,5 PTFEIP
PTFE58	5/8	16	28,1	37,1	22,0 PTFEIP
PTFE34	3/4	19	30,0	40,3	25,0 PTFEIP

Objímka pre termoplastické hadice


- Swaged Ferrule (no skive)
 - Чаша без забелване
- pre hadicu/for hose/за маркуч
termoplastic hoses SAE 100
R7, R8



Označenie Code Код	φ hadice I.D. - hose φ маркуча	D in	L mm	platí pre valid for важи за
0007-03	3/16	4,8	14,0	26,9
0007-04	1/4	6,4	18,0	29,0
0007-05	5/16	7,9	20,0	29,9
0007-06	3/8	9,5	22,0	32,0
0007-08	1/2	12,7	27,0	34,0
0007-10	5/8	15,9	27,0	36,0
0007-12	3/4	19	32,0	36,0
0007-16	1	25,4	40,0	50,0

AGR

– BSP Male Parallel 60° cone




Označenie Code Код	φ hadice I.D.- hose φ маркуча		DN	dash size	závit thread резба	E	C
	in	mm				T	
0350-03-02	3/16	4,8	4	03	1/8-28	14	21
0350-03-04	3/16	4,8	4	03	1/4-19	19	26
0350-04-02	1/4	6,4	6	04	1/8-28	14	21
0350-04-04	1/4	6,4	6	04	1/4-19	19	27
0350-04-06	1/4	6,4	6	04	3/8-19	22	28
0350-04-08	1/4	6,4	6	04	41671	35	32
0350-05-04	5/16	7,9	8	05	1/4-19	19	27
0350-05-06	5/16	7,9	8	05	3/8-19	22	28
0350-05-08	5/16	7,9	8	05	1/2-14	27	32
0350-06-04	3/8	9,5	10	06	1/4-19	19	27
0350-06-06	3/8	9,5	10	06	3/8-19	22	29
0350-06-08	3/8	9,5	10	06	1/2-14	27	32
0350-08-06	1/2	12,7	13	08	3/8-19	22	29
0350-08-08	1/2	12,7	13	08	1/2-14	27	33
0350-08-10	1/2	12,7	13	08	5/8-14	30	34
0350-08-12	1/2	12,7	13	08	3/4-14	32	35
0350-10-08	5/8	15,9	16	10	1/2-14	27	33
0350-10-10	5/8	15,9	16	10	5/8-14	30	35
0350-10-12	5/8	15,9	16	10	3/4-14	32	35
0350-12-12	3/4	19	20	12	3/4-14	32	36
0350-12-16	3/4	19	20	12	1-11	41	39
0350-16-16	1	25,4	25	16	1-11	41	40
0350-16-20	1	25,4	25	16	1.1/4-11	50	44

pokračovanie na ďalšej strane / continue on the next page / продолжава на следващата страница

AGR


– BSP Male Parallel 60° cone



Označenie Code Код	in	mm	φ hadice I.D.- hose ф маркуча	DN	dash size	závit thread резба	E	C
0350-20-16	1.1/4	31,8	31,8	32	20	1-11	41	41
0350-20-20	1.1/4	31,8	31,8	32	20	1.1/4-11	50	45
0350-20-24	1.1/4	31,8	31,8	32	20	1.1/2-11	55	46
0350-24-24	1.1/2	38,1	38,1	40	24	1.1/2-11	55	46
0350-24-32	1.1/2	38,1	38,1	40	24	2-11	70	54
0350-32-24	2	50,8	50,8	50	32	1.1/2-11	65	50
0350-32-32	2	50,8	50,8	50	32	2-11	70	54

AGR - RO otočná

- BSP Male Parallel 60°
- Cone - Rotating
- въртяща




Označenie Code Код	φ hadice I.D. - hose φ маркуча		DN	dash size	závit thread резба	T	E	C
	in	mm						
035G-04-04	1/4	6,4	6	04	1/4-19	19	43	
035G-05-08	5/16	7,9	8	05	1/2-14	27	44	
035G-06-06	3/8	9,5	10	06	3/8-19	22	44	
035G-08-08	1/2	12,7	13	08	1/2-14	27	48	
035G-12-12	3/4	19	13	12	3/4-14	32	54	
035G-16-16	1	25,4	25	16	1-11	41	59	
035G-20-20	1.1/4	31,8	32	20	1.1/4-11	50	63	
035G-24-24	1.1/2	38,1	40	24	1.1/2-11	55	67	
035G-32-32	2	50,8	50	32	2-11	65	72	

Vysvetlivka/ Explanatory/Легенда: Len na objednávku. To order only. Само по заявкото.

AGR-K


– BSP Taper Male 60° cone



Označenie Code Код	φ hadice I.D. - hose φ маркуча	DN	dash size	závit thread резба	E	C
	in	mm		T		
0360-03-02	3/16	4,8	4 03	1/8-28	12	21
0360-03-04	3/16	4,8	4 03	1/4-19	15	27
0360-04-02	1/4	6,4	6 04	1/8-28	12	22
0360-04-04	1/4	6,4	6 04	1/4-19	15	28
0360-04-06	1/4	6,4	6 04	3/8-19	19	28
0360-05-04	5/16	7,9	8 05	1/4-19	15	28
0360-05-06	5/16	7,9	8 05	3/8-19	19	28
0360-06-04	3/8	9,5	10 06	1/4-19	15	28
0360-06-06	3/8	9,5	10 06	3/8-19	19	28
0360-06-08	3/8	9,5	10 06	1/2-14	22	33
0360-08-06	1/2	12,7	13 08	3/8-19	19	29
0360-08-08	1/2	12,7	13 08	1/2-14	22	34
0360-08-12	1/2	12,7	13 08	3/4-14	27	36
0360-10-08	5/8	15,9	16 10	1/2-14	22	34
0360-10-10	5/8	15,9	16 10	5/8-14	24	35
0360-10-12	5/8	15,9	16 10	3/4-14	27	36
0360-12-12	3/4	19	20 12	3/4-14	27	37
0360-12-16	3/4	19	20 12	1-11	36	43
0360-16-16	1	25,4	25 16	1-11	36	44
0360-16-20	1	25,4	25 16	1.1/4-11	46	46
0360-20-20	1.1/4	31,8	32 20	1.1/4-11	46	47
0360-20-24	1.1/4	31,8	32 20	1.1/2-11	50	49
0360-24-24	1.1/2	38,1	40 24	1.1/2-11	50	49
0360-24-32	1.1/2	38,1	40 24	2-11	65	55
0360-32-32	2	50,8	50 32	2-11	65	55

AGN


– NPTF Male 60° cone



Označenie Code Код	φ hadice I.D.- hose φ маркуча	DN	dash size	závit thread резба	E	C
	in	mm		T		
0370-03-02	3/16	4,8	4 03	1/8-27	12	22
0370-03-04	3/16	4,8	4 03	1/4-18	15	27
0370-04-02	1/4	6,4	6 04	1/8-27	12	22
0370-04-04	1/4	6,4	6 04	1/4-18	15	28
0370-04-06	1/4	6,4	6 04	3/8-18	19	28
0370-05-04	5/16	7,9	8 05	1/4-18	15	28
0370-05-06	5/16	7,9	8 05	3/8-18	19	28
0370-05-08	5/16	7,9	8 05	1/2-14	22	34
0370-06-04	3/8	9,5	10 06	1/4-18	15	28
0370-06-06	3/8	9,5	10 06	3/8-18	19	28
0370-06-08	3/8	9,5	10 06	1/2-14	22	34
0370-08-06	1/2	12,7	13 08	3/8-18	19	29
0370-08-08	1/2	12,7	13 08	1/2-14	22	35
0370-08-12	1/2	12,7	13 08	3/4-14	27	36
0370-10-08	5/8	15,9	16 10	1/2-14	24	35
0370-10-12	5/8	15,9	16 10	3/4-14	27	36
0370-12-08	3/4	19	20 12	1/2-14	24	36
0370-12-12	3/4	19	20 12	3/4-14	27	37
0370-12-16	3/4	19	20 12	1-11.1/2	36	43
0370-16-16	1	25,4	25 16	1-11.1/2	36	44
0370-16-20	1	25,4	25 16	1.1/4-11.1/2	46	46
0370-20-16	1.1/4	31,8	32 20	1-11.1/2	41	45
0370-20-20	1.1/4	31,8	32 20	1.1/4-11.1/2	46	47
0370-24-24	1.1/2	38,1	40 24	1.1/2-11.1/2	50	49
0370-32-32	2	50,8	50 32	2-11.1/2	65	55

DKN

– NPSM Female 60° cone




Označenie Code Означение	φ hadice I.D.- hose	DN	dash size	závit thread	E	C
	in	mm		T		
N051-03-04	3/16	4,8	4	03	1/4-18	19
N051-04-04	1/4	6,4	6	04	1/4-18	17
N051-06-06	3/8	9,5	10	06	3/8-18	22
N051-08-08	1/2	12,7	13	08	1/2-14	27

Vysvetlivka/ Explanatory/Легенда: Len na objednávku. To order only. Само по заявлению.

AGR-F


– BSP Male - Flat Seat



Označenie Code Oznaczenie	∅ hadice I.D.- hose		DN	dash size	závit thread	E	C
	in	mm					
0345-03-02	3/16	4,8	4	03	1/8-28	14	21
0345-04-04	1/4	6,4	6	04	1/4-19	19	27
0345-04-06	1/4	6,4	6	04	3/8-19	22	28
0345-05-06	5/16	7,9	8	05	3/8-19	22	28
0345-06-06	3/8	9,5	10	06	3/8-19	22	29
0345-06-08	3/8	9,5	10	06	1/2-14	27	32
0345-08-08	1/2	12,7	13	08	1/2-14	27	33
0345-08-10	1/2	12,7	13	08	5/8-14	30	35
0345-08-12	1/2	12,7	13	08	3/4-14	32	35
0345-10-10	5/8	15,9	16	10	5/8-14	30	35
0345-10-12	5/8	15,9	16	10	3/4-14	32	35
0345-12-12	3/4	19	20	12	3/4-14	32	36
0345-12-16	3/4	19	20	12	1-11	41	39
0345-16-16	1	25,4	25	16	1-11	41	40

DKR- F


– BSP Female Flat Seal



Označenie Code Код	φ hadice I.D.- hose φ маркуча	DN	dash size	závit thread резба	E	C
	in	mm		T		
0060-04-04	1/4	6,4	6 04	1/4-19	19	14
0060-04-06	1/4	6,4	6 04	3/8-19	22	15
0060-05-04	5/16	7,9	8 05	1/4-19	19	14
0060-05-06	5/16	7,9	8 05	3/8-19	22	15
0060-05-08	5/16	7,9	8 05	1/2-14	27	17
0060-06-06	3/8	9,5	10 06	3/8-19	22	15
0060-06-08	3/8	9,5	10 06	1/2-14	27	16
0060-08-08	1/2	12,7	13 08	1/2-14	27	16
0060-08-10	1/2	12,7	13 08	5/8-14	30	16
0060-08-12	1/2	12,7	13 08	3/4-14	32	23
0060-10-10	5/8	15,9	16 10	5/8-14	30	16
0060-10-12	5/8	15,9	16 10	3/4-14	32	20
0060-12-12	3/4	19	20 12	3/4-14	32	21
0060-12-16	3/4	19	20 12	1-11	38	23
0060-16-16	1	25,4	25 16	1-11	38	22
0060-24-24	1.1/2	38,1	40 24	1.1/2-11	55	27

DKR

- BSP Female 60° cone Thrust Wire




Označenie Code Код	φ hadice I.D. - hose φ маркуча		DN	dash size	závit thread резба	E	C
	in	mm				T	
0050-03-02	3/16	4,8	4	03	1/8-28	14	15
0050-03-04	3/16	4,8	4	03	1/4-19	19	17
0050-04-02	1/4	6,4	6	04	1/8-28	14	15
0050-04-04	1/4	6,4	6	04	1/4-19	19	17
0050-04-06	1/4	6,4	6	04	3/8-19	22	19
0050-04-08	1/4	6,4	6	04	1/2-14	27	22
0050-05-04	5/16	7,9	8	05	1/4-19	19	17
0050-05-06	5/16	7,9	8	05	3/8-19	22	19
0050-06-04	3/8	9,5	10	06	1/4-19	19	17
0050-06-06	3/8	9,5	10	06	3/8-19	22	19
0050-06-08	3/8	9,5	10	06	1/2-14	27	22
0050-08-06	1/2	12,7	13	08	3/8-19	22	20
0050-08-08	1/2	12,7	13	08	1/2-14	27	23
0050-08-10	1/2	12,7	13	08	5/8-14	30	20
0050-08-12	1/2	12,7	13	08	3/4-14	32	27
0050-10-10	5/8	15,9	16	10	5/8-14	30	20
0050-10-12	5/8	15,9	16	10	3/4-14	32	25
0050-12-08	3/4	19	20	12	1/2-14	27	24
0050-12-12	3/4	19	20	12	3/4-14	32	25
0050-12-16	3/4	19	20	12	1-11	38	26
0050-16-12	1	25,4	25	16	3/4-14	32	27
0050-16-16	1	25,4	25	16	1-11	38	27
0050-16-20	1	25,4	25	16	1.1/4-11	50	30

pokračovanie na ďalšej strane / continue on the next page / продолжава на следващата страница

Vysvetlivka/ Explanatory/Легенда: Len na objednávku. To order only. Само по заявкото.

DKR

- BSP Female 60° cone
Thrust Wire




Označenie Code Код	φ hadice I.D.- hose φ маркуча	in	mm	DN	dash size	závit thread резба	T	E	C
0050-20-20	1.1/4	31,8	32	20		1.1/4-11		50	32
0050-20-24	1.1/4	31,8	32	20		1.1/2-11		55	34
0050-24-24	1.1/2	38,1	40	24		1.1/2-11		55	34
0050-24-32	1.1/2	38,1	40	24		2-11		70	34
0050-32-32	2	50,8	50	32		2-11		70	31

Vysvetlivka/ Explanatory/Легенда: Len na objednávku. To order only. Само по заявлению.

DKR 90°

– BSP 90° Swept Elbow 60°
cone Thrust Wire




Označenie Code Код	φ hadice I.D. - hose φ маркуча	DN	dash size	závit thread резба	E	H	C
	in mm			T			
0150-03-02	3/16	4,8	4	03	1/8-28	14	23
0150-03-04	3/16	4,8	4	03	1/4-19	19	25
0150-04-02	1/4	6,4	6	04	1/8-28	14	25
0150-04-04	1/4	6,4	6	04	1/4-19	19	27
0150-04-06	1/4	6,4	6	04	3/8-19	22	31
0150-05-04	5/16	7,9	8	05	1/4-19	19	31
0150-05-06	5/16	7,9	8	05	3/8-19	22	35
0150-06-04	3/8	9,5	10	06	1/4-19	19	33
0150-06-06	3/8	9,5	10	06	3/8-19	22	36
0150-06-08	3/8	9,5	10	06	1/2-14	27	40
0150-08-06	1/2	12,7	13	08	3/8-19	22	42
0150-08-08	1/2	12,7	13	08	1/2-14	27	41
0150-08-10	1/2	12,7	13	08	5/8-14	30	42
0150-08-12	1/2	12,7	13	08	3/4-14	32	46
0150-10-10	5/8	15,9	16	10	5/8-14	30	45
0150-10-12	5/8	15,9	16	10	3/4-14	32	50
0150-12-12	3/4	19	20	12	3/4-14	32	57
0150-12-16	3/4	19	20	12	1-11	38	60
0150-16-16	1	25,4	25	16	1-11	38	67
0150-20-20	1.1/4	31,8	32	20	1.1/4-11	50	81
0150-24-24	1.1/2	38,1	40	24	1.1/2-11	55	100
0150-32-32	2	50,8	50	32	2-11	70	135
							125

Vysvetlivka/ Explanatory/Легенда: Len na objednávku. To order only. Само по заявлению.

DKR 45°

- BSP 45° Swept Elbow 60° cone Thrust Wire




Označenie Code Код	φ hadice I.D. - hose φ маркуча	DN	dash size	závit thread резба	E	H	C
	in mm			T			
0250-03-02	3/16 4,8	4	03	1/8-28	14	15	33
0250-03-04	3/16 4,8	4	03	1/4-19	19	15	35
0250-04-02	1/4 6,4	6	04	1/8-28	14	14	40
0250-04-04	1/4 6,4	6	04	1/4-19	19	15	41
0250-04-06	1/4 6,4	6	04	3/8-19	22	18	44
0250-05-04	5/16 7,9	8	05	1/4-19	19	18	47
0250-05-06	5/16 7,9	8	05	3/8-19	22	20	49
0250-06-04	3/8 9,5	10	06	1/4-19	19	16	50
0250-06-06	3/8 9,5	10	06	3/8-19	22	19	52
0250-06-08	3/8 9,5	10	06	1/2-14	27	21	55
0250-08-06	1/2 12,7	13	08	3/8-19	22	23	62
0250-08-08	1/2 12,7	13	08	1/2-14	27	24	67
0250-08-10	1/2 12,7	13	08	5/8-14	30	24	67
0250-08-12	1/2 12,7	13	08	3/4-14	32	25	70
0250-10-10	5/8 15,9	16	10	5/8-14	30	23	68
0250-10-12	5/8 15,9	16	10	3/4-14	32	27	72
0250-12-12	3/4 19	20	12	3/4-14	32	30	86
0250-12-16	3/4 19	20	12	1-11	38	32	88
0250-16-16	1 25,4	25	16	1-11	38	35	107
0250-20-20	1.1/4 31,8	32	20	1.1/4-11	50	40	129
0250-24-24	1.1/2 38,1	40	24	1.1/2-11	55	47	117
0250-32-32	2 50,8	50	32	2-11	70	70	142

Vysvetlivka/ Explanatory/Легенда: Len na objednávku. To order only. Само по заявлению.

DKR


– BSP Female 60° Cone
Rolled Nut



Označenie Code Код	φ hadice I.D.- hose φ маркуча		DN	dash size	závit thread резба	E	C
	in	mm				T	
0051-03-02	3/16	4,8	4	03	1/8-28	14	15
0051-03-04	3/16	4,8	4	03	1/4-19	19	17
0051-04-02	1/4	6,4	6	04	1/8-28	14	15
0051-04-04	1/4	6,4	6	04	1/4-19	19	17
0051-04-06	1/4	6,4	6	04	3/8-19	22	19
0051-04-08	1/4	6,4	6	04	1/2-14	27	22
0051-05-04	5/16	7,9	8	05	1/4-19	19	17
0051-05-06	5/16	7,9	8	05	3/8-19	22	19
0051-05-08	5/16	7,9	8	05	1/2-14	27	22
0051-06-04	3/8	9,5	10	06	1/4-19	19	17
0051-06-06	3/8	9,5	10	06	3/8-19	22	19
0051-06-08	3/8	9,5	10	06	1/2-14	27	22
0051-08-06	1/2	12,7	13	08	3/8-19	22	20
0051-08-08	1/2	12,7	13	08	1/2-14	27	23
0051-08-10	1/2	12,7	13	08	5/8-14	30	20
0051-08-12	1/2	12,7	13	08	3/4-14	32	27
0051-10-08	5/8	15,9	16	10	1/2-14	27	23
0051-10-10	5/8	15,9	16	10	5/8-14	30	20
0051-10-12	5/8	15,9	16	10	3/4-14	32	25
0051-12-12	3/4	19	20	12	3/4-14	32	25
0051-12-16	3/4	19	20	12	1-11	38	26
0051-16-16	1	25,4	25	16	1-11	38	27

DKR 90°


- BSP 90° Swept Elbow 60° Cone Rolled Nut



Označenie Code Код	φ hadice I.D. - hose φ маркуча	DN	dash size	závit thread резба	E	H	C
	in mm			T			
0151-03-02	3/16	4,8	4	03	1/8-28	14	23
0151-03-04	3/16	4,8	4	03	1/4-19	19	25
0151-04-02	1/4	6,4	6	04	1/8-28	14	25
0151-04-04	1/4	6,4	6	04	1/4-19	19	27
0151-04-06	1/4	6,4	6	04	3/8-19	22	31
0151-05-06	5/16	7,9	8	05	3/8-19	22	35
0151-06-06	3/8	9,5	10	06	3/8-19	22	36
0151-06-08	3/8	9,5	10	06	1/2-14	27	40
0151-08-08	1/2	12,7	13	08	1/2-14	27	41
0151-08-10	1/2	12,7	13	08	5/8-14	30	43
0151-08-12	1/2	12,7	13	08	3/4-14	32	46
0151-10-10	5/8	15,9	16	10	5/8-14	30	45
0151-10-12	5/8	15,9	16	10	3/4-14	32	50
0151-12-12	3/4	19	20	12	3/4-14	32	57
0151-12-16	3/4	19	20	12	1-11	38	60
0151-16-16	1	25,4	25	16	1-11	38	67
							70

DKR 45°


- BSP 45° Swept Elbow
60°Cone Rolled Nut



Označenie Code Код	φ hadice I.D. - hose φ маркуча	DN	dash size	závit thread резба	E	H	C
	in mm			T			
0251-03-02	3/16	4,8	4	03	1/8-28	14	15
0251-03-04	3/16	4,8	4	03	1/4-19	19	15
0251-04-02	1/4	6,4	6	04	1/8-28	14	14
0251-04-04	1/4	6,4	6	04	1/4-19	19	15
0251-04-06	1/4	6,4	6	04	3/8-19	22	18
0251-05-06	5/16	7,9	8	05	3/8-19	22	20
0251-06-06	3/8	9,5	10	06	3/8-19	22	19
0251-06-08	3/8	9,5	10	06	1/2-14	27	21
0251-08-08	1/2	12,7	13	08	1/2-14	27	24
0251-08-10	1/2	12,7	13	08	5/8-14	30	25
0251-08-12	1/2	12,7	13	08	3/4-14	32	25
0251-10-10	5/8	15,9	16	10	5/8-14	30	23
0251-10-12	5/8	15,9	16	10	3/4-14	32	27
0251-12-12	3/4	19,0	20	12	3/4-14	32	30
0251-12-16	3/4	19,0	20	12	1-11	38	32
0251-16-16	1	25,4	25	16	1-11	38	35
							107

DKOR


– BSP O'Ring Female 60°
Cone



Označenie Code Код	φ hadice I.D. - hose φ маркуча	DN	dash size	závit thread резба	T	E	C
	in	mm					
0041-04-04	1/4	6,4	6	04	1/4-19	19	17
0041-06-06	3/8	9,5	10	06	3/8-19	22	19
0041-08-08	1/2	12,7	13	08	1/2-14	27	21
0041-10-10	5/8	15,9	16	10	5/8-14	30	21
0041-12-12	3/4	19	20	12	3/4-14	32	26
0041-16-16	1	25,4	25	16	1-11	38	28

DKOR 90°

- BSP O'Ring 90° Swept Elbow 60° Cone




Označenie Code Код	φ hadice I.D. - hose φ маркуча	DN	dash size	závit thread резба	E	H	C
	in	mm		T			
0141-04-04	1/4	6,4	6	04	1/4-19	19	27
0141-06-06	3/8	9,5	10	06	3/8-19	22	34
0141-08-08	1/2	12,7	13	08	1/2-14	27	42
0141-10-10	5/8	15,9	16	10	5/8-14	30	46
0141-12-12	3/4	19	20	12	3/4-14	32	54
0141-16-16	1	25,4	25	16	1-11	38	70

Vysvetlivka/ Explanatory/Легенда: Len na objednávku. To order only. Само по заявлению.

DKOR 45°

- BSP O'ring 45° Female
60° cone




Označenie Code Код	in	φ hadice I.D. - hose φ маркуча	mm	DN	dash size	závit thread резба	E	H	C
0241-04-04	1/4	6,4	6	04	1/4-19	19	15	41	
0241-06-06	3/8	9,5	10	06	3/8-19	22	21	52	
0241-08-08	1/2	12,7	13	08	1/2-14	27	22	95	
0241-10-10	5/8	15,9	16	10	5/8-14	30	23	58	
0241-12-12	3/4	19	20	12	3/4-14	32	28	88	
0241-16-16	1	25,4	25	16	1-11	38	33	105	

Vysvetlivka/ Explanatory/Легенда: Len na objednávku. To order only. Само по заявлению.

DKR 90°K

- BSP 90° Compact Elbow
60° Cone (welded)




Označenie Code Код	φ hadice I.D. - hose φ маркуча	DN	dash size	závit thread резба	E	H	C
	in	mm		T			
2301-03-02	3/16	4,8	4	03	1/8-28	14	16
2301-04-06	1/4	6,4	6	04	3/8-19	22	23
2301-05-06	5/16	7,9	8	05	3/8-19	22	23
2301-06-08	3/8	9,5	10	06	1/2-14	27	26
2301-10-10	5/8	15,9	16	10	5/8-14	28	27
2301-10-12	5/8	15,9	16	10	3/4-14	32	32
2301-12-12	3/4	19,0	20	12	3/4-14	32	32
2301-16-16	1	25,4	25	16	1-11	38	45

Vysvetlivka/ Explanatory/Легенда: Len na objednávku. To order only. Само по заявлению.

DKR 90°K

- BSP 90° Compact Elbow
60° Cone (forged)




Označenie Code Код	φ hadice I.D. - hose φ маркуча	DN	dash size	závit thread резба	T	E	H	C
	in	mm						
2321-04-04	1/4	6,4	6	04	1/4-19	19	20	19
2321-06-06	3/8	9,5	10	06	3/8-19	22	23	23
2321-08-08	1/2	12,7	13	08	1/2-14	27	27	26
2321-12-12	3/4	19	20	12	3/4-14	32	32	32

Vysvetlivka/ Explanatory/Легенда: Len na objednávku. To order only. Само по заявлению.

RNR


- BSP banjo
- BSP банджо



Označenie Code Код	φ hadice I.D. - hose φ маркуча	DN	dash size	závit thread резба	mm	R	C
	in	mm		T			
1400-03-02	3/16	4,8	4	03	1/8-28	10,2	17
1400-03-04	3/16	4,8	4	03	1/4-19	13,3	24
1400-04-02	1/4	6,4	6	04	1/8-28	10,2	17
1400-04-04	1/4	6,4	6	04	1/4-19	13,3	24
1400-04-06	1/4	6,4	6	04	3/8-19	17,0	28
1400-05-04	5/16	7,9	8	05	1/4-19	13,3	24
1400-05-06	5/16	7,9	8	05	3/8-19	17,0	28
1400-06-04	3/8	9,5	10	06	1/4-19	13,3	24
1400-06-06	3/8	9,5	10	06	3/8-19	17,0	28
1400-06-08	3/8	9,5	10	06	1/2-14	21,2	36
1400-08-06	1/2	12,7	13	08	3/8-19	14,0	28
1400-08-08	1/2	12,7	13	08	1/2-14	21,2	36
1400-08-10	1/2	12,7	13	08	5/8-14	23,1	40
1400-08-12	1/2	12,7	13	08	3/4-14	26,5	45
1400-10-10	5/8	15,9	16	10	5/8-14	23,1	40
1400-10-12	5/8	15,9	16	10	3/4-14	26,5	45
1400-12-12	3/4	19	20	12	3/4-14	26,5	45
1400-12-16	3/4	19	20	12	1-11	33,5	58
1400-16-16	1	25,4	25	16	1-11	33,5	58
							50

AGJ

– JIC Male 74° cone




Označenie Code Код	φ hadice I.D. - hose φ маркуча	DN	dash size	závit thread резба	T	E	C
	in	mm					
0850-03-04	3/16	4,8	4 03	7/16-20	12	26	
0850-04-04	1/4	6,4	6 04	7/16-20	12	27	
0850-04-05	1/4	6,4	6 04	1/2-20	14	27	
0850-04-06	1/4	6,4	6 04	9/16-18	15	27	
0850-05-05	5/16	7,9	8 05	1/2-20	14	27	
0850-05-06	5/16	7,9	8 05	9/16-18	15	27	
0850-05-08	5/16	7,9	8 05	3/4-16	19	30	
0850-06-06	3/8	9,5	10 06	9/16-18	15	27	
0850-06-07	3/8	9,5	10 06	5/8-18	17	30	
0850-06-08	3/8	9,5	10 06	3/4-16	19	30	
0850-06-10	3/8	9,5	10 06	7/8-14	24	34	
0850-08-06	1/2	12,7	13 08	9/16-18	19	28	
0850-08-08	1/2	12,7	13 08	3/4-16	19	31	
0850-08-10	1/2	12,7	13 08	7/8-14	24	35	
0850-08-12	1/2	12,7	13 08	1.1/16-12	27	37	
0850-10-10	5/8	15,9	16 10	7/8-14	24	35	
0850-10-12	5/8	15,9	16 10	1.1/16-12	27	37	
0850-12-10	3/4	19	20 12	7/8-14	24	36	
0850-12-12	3/4	19	20 12	1.1/16-12	27	38	
0850-12-14	3/4	19	20 12	1.3/16-12	32	41	
0850-12-16	3/4	19	20 12	1.5/16-12	34	42	
0850-12-20	3/4	19	20 12	1.5/8-12	42	45	
0850-16-12	1	25,4	25 16	1.1/16-12	27	39	

pokračovanie na ďalšej strane / continue on the next page / продолжава на следващата страница

AGJ


– JIC Male 74° cone



Označenie Code Код	φ hadice I.D. - hose φ маркуча	in	mm	DN	dash size	závit thread резба	T	E	C
0850-16-14	1	25,4	25	16	1.3/16-12	32	42		
0850-16-16	1	25,4	25	16	1.5/16-12	34	43		
0850-16-20	1	25,4	25	16	1.5/8-12	42	46		
0850-20-20	1.1/4	31,8	32	20	1.5/8-12	42	47		
0850-20-24	1.1/4	31,8	32	20	1.7/8-12	50	52		
0850-24-24	1.1/2	38,1	40	24	1.7/8-12	50	52		
0850-32-32	2	50,8	50	32	2.1/2-12	65	62		

DKJ

- JIC Female 74° cone
- Thrust Wire




Označenie Code Код	φ hadice I.D. - hose φ маркуча	DN	dash size	závit thread резба	E		C	
					in	mm	T	
0900-03-04	3/16	4,8	4 03	7/16-20	17	14		
0900-04-04	1/4	6,4	6 04	7/16-20	17	14		
0900-04-05	1/4	6,4	6 04	1/2-20	17	15		
0900-04-06	1/4	6,4	6 04	9/16-18	19	16		
0900-05-05	5/16	7,9	8 05	1/2-20	17	15		
0900-05-06	5/16	7,9	8 05	9/16-18	19	16		
0900-06-05	3/8	9,5	10 06	1/2-20	17	15		
0900-06-06	3/8	9,5	10 06	9/16-18	19	16		
0900-06-07	3/8	9,5	10 06	5/8-18	22	17		
0900-06-08	3/8	9,5	10 06	3/4-16	24	17		
0900-06-10	3/8	9,5	10 06	7/8-14	27	21		
0900-08-08	1/2	12,7	13 08	3/4-16	24	18		
0900-08-10	1/2	12,7	13 08	7/8-14	27	19		
0900-08-12	1/2	12,7	13 08	1.1/16-12	32	24		
0900-10-10	5/8	15,9	16 10	7/8-14	27	19		
0900-10-12	5/8	15,9	16 10	1.1/16-12	32	21		
0900-12-10	3/4	19	20 12	7/8-14	27	20		
0900-12-12	3/4	19	20 12	1.1/16-12	32	22		
0900-12-14	3/4	19	20 12	1.3/16-12	36	23		
0900-12-16	3/4	19	20 12	1.5/16-12	41	23		
0900-16-12	1	25,4	25 16	1.1/16-12	32	22		
0900-16-14	1	25,4	25 16	1.3/16-12	36	24		
0900-16-16	1	25,4	25 16	1.5/16-12	41	24		

pokračovanie na ďalšej strane / continue on the next page / продължава на следващата страница

Vysvetlivka/ Explanatory/Легенда: Len na objednávku. To order only. Само по заявкото.

DKJ

- JIC Female 74° cone
Thrust Wire




Označenie Code Код	in	mm	DN	dash size	závit thread резба	E	C
0900-16-20	1	25,4	25	16	1.5/8-12	50	27
0900-20-20	1.1/4	31,8	32	20	1.5/8-12	50	28
0900-20-24	1.1/4	31,8	32	20	1.7/8-12	55	31
0900-24-24	1.1/2	38,1	40	24	1.7/8-12	55	31
0900-32-32	2	50,8	50	32	2.1/2-12	70	31

Vysvetlivka/ Explanatory/Легенда: Len na objednávku. To order only. Само по заявлению.

DKJ 90°

– JIC 90° Swept Elbow 74° cone Thrust Wire




Označenie Code Код	∅ hadice I.D.- hose ∅ маркуча	DN	dash size	závit thread резба	E	H	C
	in mm			T			
0950-03-04	3/16 4,8	4	03	7/16-20	17	22	22
0950-04-04	1/4 6,4	6	04	7/16-20	17	24	25
0950-04-05	1/4 6,4	6	04	1/2-20	17	25	25
0950-04-06	1/4 6,4	6	04	9/16-18	19	27	25
0950-05-06	5/16 7,9	8	05	9/16-18	19	31	29
0950-05-08	5/16 7,9	8	05	3/4-16	24	41	29
0950-06-05	3/8 9,5	10	06	1/2-20	17	30	33
0950-06-06	3/8 9,5	10	06	9/16-18	19	32	31
0950-06-07	3/8 9,5	10	06	5/8-18	22	32	33
0950-06-08	3/8 9,5	10	06	3/4-16	24	34	33
0950-06-10	3/8 9,5	10	06	7/8-14	27	36	33
0950-08-08	1/2 12,7	13	08	3/4-16	24	41	39
0950-08-10	1/2 12,7	13	08	7/8-14	27	40	39
0950-08-12	1/2 12,7	13	08	1.1/16-12	32	43	39
0950-10-10	5/8 15,9	16	10	7/8-14	27	44	43
0950-10-12	5/8 15,9	16	10	1.1/16-12	32	47	45
0950-12-10	3/4 19	20	12	7/8-14	27	53	56
0950-12-12	3/4 19	20	12	1.1/16-12	32	54	56
0950-12-14	3/4 19	20	12	1.3/16-12	36	54	57
0950-12-16	3/4 19	20	12	1.5/16-12	41	58	56
0950-16-12	1 25,4	25	16	1.1/16-12	32	64	70
0950-16-16	1 25,4	25	16	1.5/16-12	41	65	70
0950-16-20	1 25,4	25	16	1.5/8-12	50	74	70

pokračovanie na ďalšej strane / continue on the next page / продолжава на следващата страница

Vysvetlivka/ Explanatory/Легенда: Len na objednávku. To order only. Само по заявкото.

DKJ 90°

– JIC 90° Swept Elbow 74°
cone Thrust Wire




Označenie Code Код	φ hadice I.D.- hose φ маркуча	DN	dash size	závit thread резба	E	H	C
	in mm			T			
0950-20-20	1.1/4 31,8	32	20	1.5/8-12	50	88	85
0950-24-24	1.1/2 38,1	40	24	1.7/8-12	55	101	99
0950-32-32	2 50,8	50	32	2.1/2-12	70	134	125

Vysvetlivka/ Explanatory/Легенда: Len na objednávku. To order only. Само по заявлению.

DKJ 45°

- JIC 45° Swept Elbow 74° cone Thrust Wire




Označenie Code Код	in mm	φ hadice I.D. - hose φ маркуча	DN	dash size	závit thread резба	E	H	C
			T					
1000-03-04	3/16	4,8	4	03	7/16-20	17	15	33
1000-04-04	1/4	6,4	6	04	7/16-20	17	13	38
1000-04-05	1/4	6,4	6	04	1/2-20	17	14	40
1000-04-06	1/4	6,4	6	04	9/16-18	19	16	42
1000-05-06	5/16	7,9	8	05	9/16-18	19	18	47
1000-06-05	3/8	9,5	10	06	1/2-20	17	17	51
1000-06-06	3/8	9,5	10	06	9/16-18	19	17	51
1000-06-07	3/8	9,5	10	06	5/8-18	22	17	51
1000-06-08	3/8	9,5	10	06	3/4-16	24	19	52
1000-06-10	3/8	9,5	10	06	7/8-14	27	21	54
1000-08-08	1/2	12,7	13	08	3/4-16	24	22	62
1000-08-10	1/2	12,7	13	08	7/8-14	27	23	64
1000-08-12	1/2	12,7	13	08	1.1/16-12	32	25	68
1000-10-10	5/8	15,9	16	10	7/8-14	27	24	68
1000-10-12	5/8	15,9	16	10	1.1/16-12	32	25	70
1000-12-10	3/4	19	20	12	7/8-14	27	27	83
1000-12-12	3/4	19	20	12	1.1/16-12	32	28	84
1000-12-14	3/4	19	20	12	1.3/16-12	36	29	85
1000-12-16	3/4	19	20	12	1.5/16-12	41	30	88
1000-16-12	1	25,4	25	16	1.1/16-12	32	32	103
1000-16-16	1	25,4	25	16	1.5/16-12	41	33	104
1000-20-20	1.1/4	31,8	32	20	1.5/8-12	50	43	108
1000-24-24	1.1/2	38,1	40	24	1.7/8-12	55	49	154
1000-32-32	2	50,8	50	32	2.1/2-12	70	68	196

Vysvetlivka/ Explanatory/Легенда: Len na objednávku. To order only. Само по заявлению.

DKJ

– JIC Female 74° cone




Označenie Code Код	φ hadice I.D. - hose φ маркуча	DN	dash size	závit thread резба	E	C
	in	mm		T		
0901-03-04	3/16	4,8	4 03	7/16-20	15	14
0901-03-05	3/16	4,8	4 03	1/2-20	17	14
0901-04-04	1/4	6,4	6 04	7/16-20	15	14
0901-04-05	1/4	6,4	6 04	1/2-20	17	15
0901-04-06	1/4	6,4	6 04	9/16-18	19	16
0901-04-07	1/4	6,4	6 04	5/8-18	22	17
0901-05-05	5/16	7,9	8 05	1/2-20	17	15
0901-05-06	5/16	7,9	8 05	9/16-18	19	16
0901-05-07	5/16	7,9	8 05	5/8-18	22	17
0901-05-08	5/16	7,9	8 05	3/4-16	24	17
0901-06-04	3/8	9,5	10 06	7/16-20	15	15
0901-06-05	3/8	9,5	10 06	1/2-20	17	15
0901-06-06	3/8	9,5	10 06	9/16-18	19	16
0901-06-07	3/8	9,5	10 06	5/8-18	22	15
0901-06-08	3/8	9,5	10 06	3/4-16	24	17
0901-06-10	3/8	9,5	10 06	7/8-14	27	21
0901-08-08	1/2	12,7	13 08	3/4-16	24	18
0901-08-10	1/2	12,7	13 08	7/8-14	27	19
0901-08-12	1/2	12,7	13 08	1.1/16-12	32	24
0901-10-10	5/8	15,9	16 10	7/8-14	27	19
0901-10-12	5/8	15,9	16 10	1.1/16-12	32	21
0901-12-10	3/4	19	20 12	7/8-14	27	20
0901-12-12	3/4	19	20 12	1.1/16-12	32	22

pokračovanie na ďalšej strane / continue on the next page / продолжава на следващата страница

DKJ


– JIC Female 74° cone



Označenie Code Код	φ hadice I.D. - hose φ маркуча	DN	dash size	závit thread резба	E	C
	in	mm		T		
0901-12-14	3/4	19	20	12	1.3/16-12	36
0901-12-16	3/4	19	20	12	1.5/16-12	38
0901-16-12	1	25,4	25	16	1.1/16-12	32
0901-16-16	1	25,4	25	16	1.5/16-12	38

DKJ 90°


– JIC 90° Swept Elbow 74° cone



Označenie Code Код	φ hadice I.D. - hose φ маркуча	DN	dash size	závit thread резба	E	H	C
	in mm			T			
0951-03-04	3/16	4,8	4	03	7/16-20	15	22
0951-03-05	3/16	4,8	4	03	1/2-20	17	23
0951-04-04	1/4	6,4	6	04	7/16-20	15	24
0951-04-05	1/4	6,4	6	04	1/2-20	17	25
0951-04-06	1/4	6,4	6	04	9/16-18	19	27
0951-05-05	5/16	7,9	8	05	1/2-20	17	30
0951-05-06	5/16	7,9	8	05	9/16-18	19	31
0951-06-05	3/8	9,5	10	06	1/2-20	17	30
0951-06-06	3/8	9,5	10	06	9/16-18	19	32
0951-06-07	3/8	9,5	10	06	5/8-18	22	32
0951-06-08	3/8	9,5	10	06	3/4-16	24	34
0951-06-10	3/8	9,5	10	06	7/8-14	27	36
0951-08-08	1/2	12,7	13	08	3/4-16	24	39
0951-08-10	1/2	12,7	13	08	7/8-14	27	40
0951-08-12	1/2	12,7	13	08	1.1/16-12	32	43
0951-10-10	5/8	15,9	16	10	7/8-14	27	44
0951-10-12	5/8	15,9	16	10	1.1/16-12	32	45
0951-12-10	3/4	19	20	12	7/8-14	27	53
0951-12-12	3/4	19	20	12	1.1/16-12	32	54
0951-12-14	3/4	19	20	12	1.3/16-12	36	53
0951-12-16	3/4	19	20	12	1.5/16-12	38	58
0951-16-12	1	25,4	25	16	1.1/16-12	32	62
0951-16-16	1	25,4	25	16	1.5/16-12	38	70

DKJ 45°


– JIC 45°swept elbow
74°cone



Označenie Code Код	φ hadice I.D. - hose φ маркуча	DN	dash size	závit thread резба	E	H	C
	in mm			T			
1001-03-04	3/16	4,8	4	03	7/16-20	15	15
1001-04-04	1/4	6,4	6	04	7/16-20	15	13
1001-04-05	1/4	6,4	6	04	1/2-20	17	14
1001-04-06	1/4	6,4	6	04	9/16-18	19	16
1001-05-05	5/16	7,9	8	05	1/2-20	17	17
1001-05-06	5/16	7,9	8	05	9/16-18	19	18
1001-06-06	3/8	9,5	10	06	9/16-18	19	17
1001-06-07	3/8	9,5	10	06	5/8-18	22	17
1001-06-08	3/8	9,5	10	06	3/4-16	24	19
1001-08-08	1/2	12,7	13	08	3/4-16	24	22
1001-08-10	1/2	12,7	13	08	7/8-14	27	23
1001-08-12	1/2	12,7	13	08	1.1/16-12	32	25
1001-10-10	5/8	15,9	16	10	7/8-14	27	23
1001-10-12	5/8	15,9	16	10	1.1/16-12	32	25
1001-12-12	3/4	19	20	12	1.1/16-12	32	28
1001-12-14	3/4	19	20	12	1.3/16-12	36	28
1001-12-16	3/4	19	20	12	1.5/16-12	38	30
1001-16-16	1	25,4	25	16	1.5/16-12	38	33
							104

DKJ 90°K

- JIC 90° Compact Elbow
74° Cone Thrust Wire
(welded)




Označenie Code Код	φ hadice I.D.- hose φ маркуча	DN	dash size	závit thread резба	E	H	C
	in mm			T			
2950-04-04	1/4	6,4	6	04	7/16-20	17	17
2950-04-05	1/4	6,4	6	04	1/2-20	17	19
2950-04-06	1/4	6,4	6	04	9/16-18	19	20
2950-05-06	5/16	7,9	8	05	9/16-18	19	20
2950-06-06	3/8	9,5	10	06	9/16-18	19	20
2950-06-07	3/8	9,5	10	06	5/8-18	22	21
2950-06-08	3/8	9,5	10	06	3/4-16	24	22
2950-08-08	1/2	12,7	13	08	3/4-16	24	22
2950-08-10	1/2	12,7	13	08	7/8-14	27	26
2950-10-10	5/8	15,9	16	10	7/8-14	27	26
2950-10-12	5/8	15,9	16	10	1.1/16-12	32	28
2950-12-12	3/4	19	20	12	1.1/16-12	32	28
2950-16-16	1	25,4	25	16	1.5/16-12	41	34

Vysvetlivka/ Explanatory/Легенда: Len na objednávku. To order only. Само по заявлению.

DKJ 90°K

- JIC 90° Compact Elbow
74° Cone Thrust Wire
(forged)




Označenie Code Код	φ hadice I.D. - hose φ маркуча	DN	dash size	závit thread резба	T	E	E1	H	C
	in	mm							
2971-04-04	1/4	6,4	6	04	7/16-20	15	15	17	19
2971-04-05	1/4	6,4	6	04	1/2-20	17	15	18	19
2971-05-06	5/16	7,9	8	05	9/16-18	19	17	20	20
2971-06-06	3/8	9,5	10	06	9/16-18	19	17	20	23
2971-06-08	3/8	9,5	10	06	3/4-16	24	22	22	24
2971-08-10	1/2	12,7	13	08	7/8-14	27	22	24	26
2971-12-12	3/4	19	20	12	1.1/16-12	32	27	29	32

Vysvetlivka/ Explanatory/Легенда: Len na objednávku. To order only. Само по заявлению.

DKL


- Metric Swept Elbow
24° - 60° Seat Light
Multiseal



Označenie Code Код	φ hadice I.D. - hose φ маркуча	DN	dash size	závit thread резба	E	C
	in	mm		T		
0035-03-12	3/16	4,8	4	03	M12-1.5	14
0035-03-16	3/16	4,8	4	03	M16-1.5	19
0035-04-12	1/4	6,4	6	04	M12-1.5	17
0035-04-14	1/4	6,4	6	04	M14-1.5	17
0035-04-16	1/4	6,4	6	04	M16-1.5	19
0035-05-16	5/16	7,9	8	05	M16-1.5	19
0035-05-18	5/16	7,9	8	05	M18-1.5	22
0035-05-20	5/16	7,9	8	05	M20-1.5	24
0035-06-16	3/8	9,5	10	06	M16-1.5	19
0035-06-18	3/8	9,5	10	06	M18-1.5	22
0035-06-20	3/8	9,5	10	06	M20-1.5	24
0035-06-22	3/8	9,5	10	06	M22-1.5	27
0035-08-22	1/2	12,7	13	08	M22-1.5	27
0035-08-26	1/2	12,7	13	08	M26-1.5	32
0035-10-27-2	5/8	15,9	16	10	M27-2	32
0035-10-27	5/8	15,9	16	10	M27-1.5	32
0035-10-26	5/8	15,9	16	10	M26-1.5	32
0035-12-30	3/4	19	19	12	M30-1.5	36
0035-12-30-2	3/4	19	19	12	M30-2	36
0035-16-36-2	1	25,4	25	16	M36-2	41
0035-16-39	1	25,4	25	16	M39-1.5	46
0035-20-45	1.1/4	31,8	32	20	M45-1.5	50
0035-20-45-2	1.1/4	31,8	32	20	M45-2	50
						30

DKL 90°


- 90° Metric Swept Elbow
- 24° - 60° Seat Light
- Multiseal



Označenie Code Код	φ hadice I.D. - hose φ маркуча	DN	dash size	závit thread резба	E	H	C
	in mm	mm	T				
0135-04-14	1/4	6,4	6	04	M14-1.5	17	25
0135-04-16	1/4	6,4	6	04	M16-1.5	19	27
0135-05-16	5/16	7,9	8	05	M16-1.5	19	29
0135-05-18	5/16	7,9	8	05	M18-1.5	22	30
0135-06-16	3/8	9,5	10	06	M16-1.5	19	30
0135-06-18	3/8	9,5	10	06	M18-1.5	22	30
0135-06-22	3/8	9,5	10	06	M22-1.5	27	34
0135-08-22	1/2	12,7	13	08	M22-1.5	27	38
0135-10-26	5/8	15,9	16	10	M26-1.5	32	42
0135-10-27	5/8	15,9	16	10	M27-1.5	32	32
0135-10-27-2	5,8	15,9	16	10	M27-2	32	46

DKL 45°


- 90° Metric Swept Elbow
- 24° - 60° Seat Light
- Multiseal



Označenie Code Код	φ hadice I.D. - hose φ маркуча	DN	dash size	závit thread резба	E	H	C
	in	mm		T			
0235-04-12	1/4	6,4	6	04	M12-1.5	14	15
0235-04-14	1/4	6,4	6	04	M14-1.5	17	14
0235-05-16	5/16	7,9	8	05	M16-1.5	19	14
0235-06-18	3/8	9,5	10	06	M18-1.5	22	16
0235-08-22	1/2	12,7	13	08	M22-1.5	27	21
0235-10-26	5/8	15,9	16	10	M26-1.5	32	42
0235-10-27	5/8	15,9	16	10	M27-1.5	32	42
0235-10-27-2	5,8	15,9	16	10	M27-2	32	46

RNM


– Banjo metric



Označenie Code Код	φ hadice I.D. - hose φ маркуча	DN	dash size	diera hole резба	R	C
	in	mm		T		
1350-03-10	3/16	4,8	4	03	M10-1	17
1350-03-12	3/16	4,8	4	03	M12-1.5	20
1350-04-10	1/4	6,4	6	04	M10-1	17
1350-04-12	1/4	6,4	6	04	M12-1.5	20
1350-04-14	1/4	6,4	6	04	M14-1.5	24
1350-05-14	5/16	7,9	8	05	M14-1.5	24
1350-05-16	5/16	7,9	8	05	M16-1.5	28
1350-05-18	5/16	7,9	8	05	M18-1.5	32
1350-06-14	3/8	9,5	10	06	M14-1.5	24
1350-06-16	3/8	9,5	10	06	M16-1.5	28
1350-06-18	3/8	9,5	10	06	M18-1.5	32
1350-06-22	3/8	9,5	10	06	M22-1.5	36
1350-08-16	1/2	12,7	13	08	M16-1.5	28
1350-08-18	1/2	12,7	13	08	M18-1.5	32
1350-08-22	1/2	12,7	13	08	M22-1.5	36
1350-10-22	5/8	15,9	16	10	M22-1.5	36
1350-10-26	5/8	15,9	16	10	M26-1.5	45
1350-12-22	3/4	19	20	12	M22-1.5	36
1350-12-26	3/4	19	20	12	M26-1.5	45
1350-16-30	1	25,4	25	16	M30-1.5	54

CEL


– Metric male 24°seat light



Označenie Code Код	φ hadice I.D.- hose φ маркуча	DN	dash size	závit thread резба	E	C
	in	mm		T		
0500-03-12	3/16	4,8	4	03	M12-1,5	14
0500-04-12	1/4	6,4	6	04	M12-1,5	14
0500-04-14	1/4	6,4	6	04	M14-1,5	14
0500-04-16	1/4	6,4	6	04	M16-1,5	17
0500-04-18	1/4	6,4	6	04	M18-1,5	19
0500-05-14	5/16	7,9	8	05	M14-1,5	14
0500-05-16	5/16	7,9	8	05	M16-1,5	17
0500-05-18	5/16	7,9	8	05	M18-1,5	19
0500-05-22	5/16	7,9	8	05	M22-1,5	22
0500-06-16	3/8	9,5	10	06	M16-1,5	17
0500-06-18	3/8	9,5	10	06	M18-1,5	19
0500-06-22	3/8	9,5	10	06	M22-1,5	22
0500-08-18	1/2	12,7	13	08	M18-1,5	19
0500-08-22	1/2	12,7	13	08	M22-1,5	22
0500-08-26	1/2	12,7	13	08	M26-1,5	27
0500-10-22	5/8	15,9	16	10	M22-1,5	22
0500-10-26	5/8	15,9	16	10	M26-1,5	27
0500-10-30	5/8	15,9	16	10	M30-2	30
0500-12-26	3/4	19	20	12	M26-1,5	27
0500-12-30	3/4	19	20	12	M30-2	30
0500-16-36	1	25,4	25	16	M36-2	36
0500-20-45	1.1/4	31,8	32	20	M45-2	46
0500-24-52	1.1/2	38,1	40	24	M52-2	55

CES


– Metric Male 24° Seat
Heavy



Označenie Code Код	φ hadice I.D.- hose φ маркуча		DN	dash size	závit thread резба	T	E	C
	in	mm						
0450-03-16	3/16	4,8	4	03	M16-1.5	17	26	
0450-04-14	1/4	6,4	6	04	M14-1.5	14	25	
0450-04-16	1/4	6,4	6	04	M16-1.5	17	27	
0450-04-18	1/4	6,4	6	04	M18-1.5	19	27	
0450-05-18	5/16	7,9	8	05	M18-1.5	19	27	
0450-05-20	5/16	7,9	8	05	M20-1.5	22	29	
0450-06-18	3/8	9,5	10	06	M18-1.5	19	27	
0450-06-20	3/8	9,5	10	06	M20-1.5	22	29	
0450-06-22	3/8	9,5	10	06	M22-1.5	22	31	
0450-06-24	3/8	9,5	10	06	M24-1.5	24	31	
0450-08-24	1/2	12,7	13	08	M24-1.5	24	32	
0450-10-30	5/8	15,9	16	10	M30-2	30	34	
0450-12-30	3/4	19	20	12	M30-2	30	35	
0450-12-36	3/4	19	20	12	M36-2	36	38	
0450-16-36	1	25,4	25	16	M36-2	36	39	
0450-16-42	1	25,4	25	16	M42-2	46	42	
0450-20-42	1.1/4	31,8	32	20	M42-2	46	43	
0450-20-52	1.1/4	31,8	32	20	M52-2	55	45	
0450-24-52	1.1/2	38,1	40	24	M52-2	55	45	

DKOL


– Metric female 24°seat light



Označenie Code Код	φ hadice I.D.- hose φ маркуча	DN	dash size	závit thread резба	erm	E	C
	in	mm		T			
0085-03-12	3/16	4,8	4	03	M12-1.5	6	14
0085-04-14	1/4	6,4	6	04	M14-1.5	8	17
0085-04-16	1/4	6,4	6	04	M16-1.5	10	19
0085-04-18	1/4	6,4	6	04	M18-1.5	12	22
0085-05-14	5/16	7,9	8	05	M14-1.5	8	17
0085-05-16	5/16	7,9	8	05	M16-1.5	10	19
0085-05-18	5/16	7,9	8	05	M18-1.5	12	22
0085-06-18	3/8	9,5	10	06	M18-1.5	12	22
0085-06-22	3/8	9,5	10	06	M22-1.5	15	27
0085-08-22	1/2	12,7	13	08	M22-1.5	15	27
0085-08-26	1/2	12,7	13	08	M26-1.5	18	32
0085-10-22	5/8	15,9	16	10	M22-1.5	15	27
0085-10-26	5/8	15,9	16	10	M26-1.5	18	32
0085-12-30	3/4	19	20	12	M30-2	22	36
0085-12-36	3/4	19	20	12	M36-2	28	41
0085-16-36	1	25,4	25	16	M36-2	28	41
0085-20-45	1.1/4	31,8	32	20	M45-2	35	50
0085-24-52	1.1/2	38,1	40	24	M52-2	42	60

DKOL 90°


– 90° Metric Swept Elbow
24° Seat Light



Označenie Code Код	φ hadice I.D. - hose φ маркуча	DN	dash size	závit thread резба	erm.	E	H	C
	in mm			T				
0185-03-12	3/16	4,8	4	03	M12-1.5	6	14	23
0185-04-14	1/4	6,4	6	04	M14-1.5	8	17	26
0185-04-16	1/4	6,4	6	04	M16-1.5	10	19	27
0185-04-18	1/4	6,4	6	04	M18-1.5	12	22	30
0185-05-16	5/16	7,9	8	05	M16-1.5	10	19	31
0185-05-18	5/16	7,9	8	05	M18-1.5	12	22	33
0185-06-18	3/8	9,5	10	06	M18-1.5	12	22	34
0185-06-22	3/8	9,5	10	06	M22-1.5	15	27	35
0185-08-22	1/2	12,7	13	08	M22-1.5	15	27	41
0185-10-26	5/8	15,9	16	10	M26-1.5	18	32	46
0185-12-30	3/4	19	20	12	M30-2	22	36	51
0185-16-36	1	25,4	25	16	M36-2	28	41	63
0185-20-45	1.1/4	31,8	32	20	M45-2	35	50	81
0185-24-52	1.1/2	38,1	40	24	M52-2	42	60	93
								100

DKOL 45°


– 45° Metric Swept Elbow
24° Seat Light



Označenie Code Код	φ hadice I.D. - hose φ маркуча	DN	dash size	závit thread резба	erm.	E	H	C
	in	mm		T				
0285-03-12	3/16	4,8	4	03	M12-1.5	6	14	14
0285-04-14	1/4	6,4	6	04	M14-1.5	8	17	14
0285-04-16	1/4	6,4	6	04	M16-1.5	10	19	15
0285-04-18	1/4	6,4	6	04	M18-1.5	12	22	16
0285-05-16	5/16	7,9	8	05	M16-1.5	10	19	17
0285-05-18	5/16	7,9	8	05	M18-1.5	12	22	19
0285-06-18	3/8	9,5	10	06	M18-1.5	12	22	19
0285-06-22	3/8	9,5	10	06	M22-1.5	15	27	19
0285-08-22	1/2	12,7	13	08	M22-1.5	15	27	21
0285-10-26	5/8	15,9	16	10	M26-1.5	18	32	23
0285-12-30	3/4	19	19	12	M30-2	22	36	27
0285-16-36	1	25,4	25	16	M36-2	28	41	32
0285-20-45	1.1/4	31,8	32	20	M45-2	35	50	45
0285-24-52	1.1/2	38,1	40	24	M52-2	42	60	50

DKOS


- Metric Female 24° Seat Heavy



Označenie Code Код	φ hadice I.D.- hose φ маркуча	DN	dash size	závit thread резба	erm.	E	C
	in	mm		T			
0084-03-16	3/16	4,8	03	M16-1.5	8	19	25
0084-04-14	1/4	6,4	04	M14-1.5	6	17	23
0084-04-16	1/4	6,4	04	M16-1.5	8	19	25
0084-04-18	1/4	6,4	04	M18-1.5	10	22	24
0084-05-18	5/16	7,9	05	M18-1.5	10	22	24
0084-05-20	5/16	7,9	05	M20-1.5	12	24	26
0084-06-16	3/8	9,5	06	M16-1.5	8	19	26
0084-06-18	3/8	9,5	06	M18-1.5	10	22	25
0084-06-20	3/8	9,5	06	M20-1.5	12	24	25
0084-06-22	3/8	9,5	06	M22-1.5	14	27	29
0084-08-22	1/2	12,7	08	M22-1.5	14	27	17
0084-08-24	1/2	12,7	08	M24-1.5	16	30	30
0084-08-30	1/2	12,7	08	M30-2	20	36	33
0084-10-24	5/8	15,9	10	M24-1.5	16	30	31
0084-10-30	5/8	15,9	10	M30-2	20	36	33
0084-12-30	3/4	19	12	M30-2	20	36	34
0084-12-36	3/4	19	12	M36-2	25	46	40
0084-16-36	1	25,4	16	M36-2	25	46	41
0084-16-42	1	25,4	16	M42-2	30	50	43
0084-20-52	1.1/4	31,8	20	M52-2	38	60	44
0084-24-52	1.1/2	38,1	24	M52-2	38	60	44

DKOS 90°


– 45° Metric Swept Elbow
24° Seat Heavy



Označenie Code Код	φ hadice I.D.- hose φ маркуча	DN	dash size	závit thread резба	erm.	E	H	C
	in	mm		T				
0184-03-16	3/16	4,8	4	03	M16-1.5	8	19	24
0184-04-14	1/4	6,4	6	04	M14-1.5	6	17	26
0184-04-16	1/4	6,4	6	04	M16-1.5	8	19	26
0184-04-18	1/4	6,4	6	04	M18-1.5	10	22	31
0184-04-20	1/4	6,4	6	04	M20-1.5	12	24	30
0184-05-18	5/16	7,9	8	05	M18-1.5	10	22	37
0184-05-20	5/16	7,9	8	05	M20-1.5	12	24	34
0184-06-18	3/8	9,5	10	06	M18-1.5	10	22	35
0184-06-20	3/8	9,5	10	06	M20-1.5	12	24	34
0184-06-22	3/8	9,5	10	06	M22-1.5	14	27	33
0184-08-24	1/2	12,7	13	08	M24-1.5	16	30	41
0184S10-24	5/8	15,9	16	10	M24-1.5	16	30	38
0184-10-30	5/8	15,9	16	10	M30-2	20	36	50
0184-12-30	3/4	19	20	12	M30-2	20	36	56
0184-12-36	3/4	19	20	12	M36-2	25	46	59
0184-16-36	1	25,4	25	16	M36-2	25	46	67
0184-16-42	1	25,4	25	16	M42-2	30	50	69
0184-20-52	1.1/4	31,8	32	20	M52-2	38	60	82
0184-24-52	1.1/2	38,1	40	24	M52-2	38	60	94

DKOS 45°


– 45° Metric Swept Elbow
24° Seat Heavy



Označenie Code Код	φ hadice I.D. - hose φ маркуча	DN	dash size	závit thread резба	erm.	E	H	C	
	in	mm		T					
0284-03-16	3/16	4,8	4	03	M16-1.5	8	19	16	36
0284-04-14	1/4	6,4	6	04	M14-1.5	6	17	15	37
0284-04-16	1/4	6,4	6	04	M16-1.5	8	19	15	42
0284-04-18	1/4	6,4	6	04	M18-1.5	10	22	18	45
0284-05-20	5/16	7,9	8	05	M20-1.5	12	24	19	49
0284-06-18	3/8	9,5	10	06	M18-1.5	10	22	18	54
0284-06-20	3/8	9,5	10	06	M20-1.5	12	24	18	53
0284-06-22	3/8	9,5	10	06	M22-1.5	14	27	20	54
0284-08-24	1/2	12,7	13	08	M24-1.5	16	30	21	63
0284-10-30	5/8	15,9	16	10	M30-2	20	36	29	74
0284-12-30	3/4	19	20	12	M30-2	20	36	30	87
0284-12-36	3/4	19	20	12	M36-2	25	46	31	74
0284-16-36	1	25,4	25	16	M36-2	25	46	34	105
0284-16-42	1	25,4	25	16	M42-2	30	50	33	104
0284-20-52	1.1/4	31,8	32	20	M52-2	38	60	39	129
0284-24-52	1.1/2	38,1	40	24	M52-2	38	60	44	150

DKLM

– Metric Female 60° cone




Označenie Code Код	φ hadice I.D.- hose φ маркуча	DN	dash size	závit thread резба	E	C
	in	mm		T		
0100-03-12	3/16	4,8	4 03	M12-1.5	17	17
0100-04-10	1/4	6,4	6 04	M10-1	14	15
0100-04-12	1/4	6,4	6 04	M12-1.5	17	17
0100-04-14	1/4	6,4	6 04	M14-1.5	19	17
0100-04-16	1/4	6,4	6 04	M16-1.5	22	19
0100-04-18	1/4	6,4	6 04	M18-1.5	24	19
0100-05-12	5/16	7,9	8 05	M12-1.5	17	17
0100-05-14	5/16	7,9	8 05	M14-1.5	19	17
0100-05-16	5/16	7,9	8 05	M16-1.5	22	19
0100-05-18	5/16	7,9	8 05	M18-1.5	24	19
0100-06-14	3/8	9,5	10 06	M14-1.5	19	17
0100-06-16	3/8	9,5	10 06	M16-1.5	22	19
0100-06-18	3/8	9,5	10 06	M18-1.5	24	19
0100-06-20	3/8	9,5	10 06	M20-1.5	25	22
0100-06-22	3/8	9,5	10 06	M22-1.5	27	22
0100-08-16	1/2	12,7	13 08	M16-1.5	22	20
0100-08-18	1/2	12,7	13 08	M18-1.5	24	20
0100-08-20	1/2	12,7	13 08	M20-1.5	25	23
0100-08-22	1/2	12,7	13 08	M22-1.5	27	23
0100-08-26	1/2	12,7	13 08	M26-1.5	32	27
0100-10-26	5/8	15,9	16 10	M26-1.5	32	25
0100-12-26	3/4	19	20 12	M26-1.5	32	25
0100-12-30	3/4	19	20 12	M30-1.5	36	23

pokračovanie na ďalšej strane / continue on the next page / продолжава на следващата страница

Vysvetlivka/ Explanatory/Легенда: Len na objednávku. To order only. Само по заявкото.

DKLM

– Metric Female 60° cone




Označenie Code Код	φ hadice I.D.- hose φ маркуча	DN	dash size	závit thread резба	T	E	C
	in	mm					
0100-16-38	1	25,4	25	16	M38-1.5	46	33
0100-20-45	1.1/4	31,8	32	20	M45-1.5	50	34
0100-32-65	2	50,8	50	32	M65-2	75	31

Vysvetlivka/ Explanatory/Легенда: Len na objednávku. To order only. Само по заявлению.

DKLM 90°

– 90° Metric Female 60° cone




Označenie Code Код	φ hadice I.D.- hose φ маркуча	DN	dash size	závit thread резба	erm.	E	C
	in mm			T			
0200-03-10	3/16	4,8	4	03	M10-1	14	25
0200-03-12	3/16	4,8	4	03	M12-1.5	17	25
0200-04-12	1/4	6,4	6	04	M12-1.5	17	27
0200-04-14	1/4	6,4	6	04	M14-1.5	19	27
0200-04-16	1/4	6,4	6	04	M16-1.5	22	31
0200-05-16	5/16	7,9	8	05	M16-1.5	22	35
0200-05-18	5/16	7,9	8	05	M18-1.5	24	35
0200-06-14	3/8	9,5	10	06	M14-1.5	19	31
0200-06-16	3/8	9,5	10	06	M16-1.5	22	34
0200-06-18	3/8	9,5	10	06	M18-1.5	24	34
0200-06-20	3/8	9,5	10	06	M20-1.5	25	37
0200-08-18	1/2	12,7	13	08	M18-1.5	24	42
0200-08-22	1/2	12,7	13	08	M22-1.5	27	41
0200-10-26	5/8	15,9	16	10	M26-1.5	32	48
0200-12-26	3/4	19	19	12	M26-1.5	32	57
0200-16-38	1	25,4	25	16	M38-1.5	46	71

Vysvetlivka/ Explanatory/Легенда: Len na objednávku. To order only. Само по заявлению.

DKLM 45°

– 45° Metric Female 60° cone




Označenie Code Код	φ hadice I.D. - hose φ маркуча	DN	dash size	závit thread резба	erm.	E	C
	in	mm		T			
0300-03-12	3/16	4,8	4	03	M12-1.5	17	16
0300-04-10	1/4	6,4	6	04	M10-1	14	14
0300-04-12	1/4	6,4	6	04	M12-1.5	17	20
0300-04-14	1/4	6,4	6	04	M14-1.5	19	16
0300-04-16	1/4	6,4	6	04	M16-1.5	22	18
0300-05-16	5/16	7,9	8	05	M16-1.5	22	20
0300-05-18	5/16	7,9	8	05	M18-1.5	24	21
0300-06-14	3/8	9,5	10	06	M14-1.5	19	17
0300-06-16	3/8	9,5	10	06	M16-1.5	22	19
0300-06-18	3/8	9,5	10	06	M18-1.5	24	19
0300-06-20	3/8	9,5	10	06	M20-1.5	25	21
0300-08-18	1/2	12,7	13	08	M18-1.5	24	23
0300-08-20	1/2	12,7	13	08	M20-1.5	25	23
0300-08-22	1/2	12,7	13	08	M22-1.5	27	24
0300-10-26	5/8	15,9	16	10	M26-1.5	32	27
0300-12-26	3/4	19	19	12	M26-1.5	32	30
0300-16-38	1	25,4	25	16	M38-1.5	46	38
							109

Vysvetlivka/ Explanatory/Легенда: Len na objednávku. To order only. Само по заявлению.

BEL-BES

– Metric Standpipe




Označenie Code Код	φ hadice I.D.- hose ф маркуча	DN	dash size	trubka pire резба	Typ Type	C
	in	mm		T		
0550-03-06	3/16	4,8	4	03	6	L/S 30
0550-03-08	3/16	4,8	4	03	8	L/S 29
0550-04-06	1/4	6,4	6	04	6	L/S 32
0550-04-08	1/4	6,4	6	04	8	L/S 30
0550-04-10	1/4	6,4	6	04	10	L/S 33
0550-04-12	1/4	6,4	6	04	12	L/S 30
0550-05-08	5/16	7,9	8	05	08	L/S 31
0550-05-10	5/16	7,9	8	05	10	L/S 31
0550-05-12	5/16	7,9	8	05	12	L/S 33
0550-06-08	3/8	9,5	10	06	08	L/S 33
0550-06-10	3/8	9,5	10	06	10	L/S 33
0550-06-12	3/8	9,5	10	06	12	L/S 32
0550-06-14	3/8	9,5	10	06	14	S 37
0550-06-15	3/8	9,5	10	06	15	L 32
0550-08-12	1/2	12,7	13	08	12	L/S 36
0550-08-14	1/2	12,7	13	08	14	S 39
0550-08-15	1/2	12,7	13	08	15	L 34
0550-08-16	1/2	12,7	13	08	16	S 39
0550-08-18	1/2	12,7	13	08	18	L 35
0550-08-20	1/2	12,7	13	08	20	S 45
0550-10-18	5/8	15,9	16	10	18	L 35
0550-10-20	5/8	15,9	16	10	20	S 45
0550-10-22	5/8	15,9	16	10	22	L 33

pokračovanie na ďalšej strane / continue on the next page / продолжава на следващата страница

BEL-BES


– Metric Standpipe



Označenie Code Код	φ hadice I.D.- hose φ маркуча	DN	dash size	trubka ріпе резба	Typ Type	C
	in	mm		T		
0550-12-18	3/4	19	20	12	18	L 37
0550-12-20	3/4	19	20	12	20	S 46
0550-12-22	3/4	19	20	12	22	L 38
0550-12-25	3/4	19	20	12	25	S 49
0550-12-28	3/4	19	20	12	28	L 40
0550-16-25	1	25,4	25	16	25	S 51
0550-16-28	1	25,4	25	16	28	L 41
0550-16-30	1	25,4	25	16	30	S 54
0550-16-38	1	25,4	25	16	38	S 60
0550-20-30	1.1/4	31,8	32	20	30	S 58
0550-20-35	1.1/4	31,8	32	20	35	L 48
0550-20-38	1.1/4	31,8	32	20	38	S 62
0550-24-38	1.1/2	38,1	40	24	38	S 63
0550-24-42	1.1/2	38,1	40	24	42	L 50

BEL -BES 90°


– 90° Metric Standpipe



Označenie Code Код	φ hadice I.D. - hose φ маркуча	DN	dash size	trubka ріпка резба	Typ Type	H	C
	in	mm		T			
0650S03-06	3/16	4,8	4 03	6	L/S	37	24
0650S03-08	3/16	4,8	4 03	8	L/S	39	24
0650S04-12	1/4	6,4	6 04	12	L/S	37	25
0650S05-08	5/16	7,9	8 05	8	L/S	39	25
0650S06-14	3/8	9,5	10 06	14	S	45	33
0650S06-15	3/8	9,5	10 06	15	L	53	38
0650S08-12	1/2	12,7	13 08	12	L/S	45	31
0650S08-14	1/2	12,7	13 08	14	S	49	33
0650S08-15	1/2	12,7	13 08	15	L	53	39
0650S08-16	1/2	12,7	13 08	16	S	56	42
0650S08-18	1/2	12,7	13 08	18	L	57	42
0650S10-18	5/8	15,9	16 10	18	L	57	42
0650S10-20	5/8	15,9	16 10	20	S	66	48
0650S10-22	5/8	15,9	16 10	22	L	71	53
0650S12-20	3/4	19	20 12	20	S	66	49
0650S12-22	3/4	19	20 12	22	L	71	54
0650S12-25	3/4	19	20 12	25	S	76	57
0650S16-25	1	25,4	25 16	25	S	76	58
0650S16-28	1	25,4	25 16	28	L	83	65
0650S16-30	1	25,4	25 16	30	S	89	66
0650S20-30	1.1/4	31,8	32 20	30	S	89	67
0650S20-35	1.1/4	31,8	32 20	35	L	97	77
0650S20-38	1.1/4	31,8	32 20	38	S	106	81
0650S24-38	1.1/2	38,1	40 24	38	S	106	81
0650S24-42	1.1/2	38,1	40 24	42	L	118	92

BEL -BES 45°


– 45° Metric Standpipe



Označenie Code Код	φ hadice I.D.- hose ф маркуча	DN	dash size	trubka přípe резба	Typ Type	H	C
	in	mm		T			
0750S03-06	3/16	4,8	4 03	6	L/S	26	33
0750S03-08	3/16	4,8	4 03	8	L/S	26	38
0750S04-12	1/4	6,4	6 04	12	L/S	30	47
0750S06-14	3/8	9,5	10 06	14	S	34	43
0750S06-15	3/8	9,5	10 06	15	L	37	45
0750S08-14	1/2	12,7	13 08	14	S	34	42
0750S08-15	1/2	12,7	13 08	15	L	37	46
0750S08-16	1/2	12,7	13 08	16	S	36	45
0750S08-18	1/2	12,7	13 08	18	L	32	61
0750S10-18	5/8	15,9	16 10	18	L	32	61
0750S10-20	5/8	15,9	16 10	20	S	34	62
0750S10-22	5/8	15,9	16 10	22	L	35	68
0750S12-20	3/4	19	20 12	20	S	35	68
0750S12-22	3/4	19	20 12	22	L	35	68
0750S12-25	3/4	19	20 12	25	S	39	75
0750S16-25	1	25,4	25 16	25	S	39	74
0750S16-28	1	25,4	25 16	28	L	49	87
0750S16-30	1	25,4	25 16	30	S	43	84
0750S20-30	1.1/4	31,8	32 20	30	S	43	85
0750S20-35	1.1/4	31,8	32 20	35	L	45	93
0750S20-38	1.1/4	31,8	32 20	38	S	50	94
0750S24-38	1.1/2	38,1	40 24	38	S	50	94
0750S24-42	1.1/2	38,1	40 24	42	L	57	113

Karcher

– Karcher Female




Označenie Code Код	φ hadice I.D. - hose φ маркуча	DN	dash size	závit thread резба	C
	in	mm			
FK50-04-22	1/4	6,4	6	04	M22-1.5
FK50-05-22	5/16	7,9	8	05	M22-1.5
FK50-06-22	3/8	9,5	10	06	M22-1.5

Vysvetlivka/Explanatory/Легенда: FK50-XX-XXS - krátká matica, short nut, къса гайка
FK50-XX-XXL - dlhá matica, long nut, дълга гайка

Karcher


– Karcher Male for gan



Označenie Code Код	φ hadice I.D.- hose φ маркуча	DN	dash size	C
	in	mm		
FN50-04-22	1/4	6,4	6 04	33
FN50-05-22	5/16	7,9	8 05	33
FN50-06-22	3/8	9,5	10 06	33

Stecko


- Staplelock Male
- Щеко



Označenie Code Код	φ hadice I.D.- hose φ маркуча	DN	dash size	T	C
	in mm				
0398-04-04	1/4 6,4	4	1/4	32	
0398-06-06	3/8 9,5	06	3/8	35	
0398-08-08	1/2 12,7	08	1/2	33	
0398-10-10	5/8 15,9	10	5/8	33	
0398-12-12	3/4 19	12	3/4	33	
0398-16-16	1 25,4	16	1	39	
0398-20-20	1.1/4 31,8	20	1.1/4	41	

ORFS AK


- ORFS male



Označenie Code Код	φ hadice I.D.- hose φ маркуча	in	mm	DN	dash size	závit thread резба	T	E	C
S350-04-06		1/4	6,4	6	04	9/16-18	17	23	
S350-04-09		1/4	6,4	6	04	11/16-16	19	21	
S350-05-09		5/16	7,9	8	05	11/16-16	19	26	
S350-06-09		3/8	9,5	10	06	11/16-16	19	26	
S350-06-11		3/8	9,5	10	6	13/16-16	22	29	
S350-08-11		1/2	12,7	12	08	13/16-16	22	29	
S350-08-13		1/2	12,7	12	08	1-14	27	34	
S350-08-14		1/2	12,7	12	08	1.3/16-12	32	35	
S350-10-13		5/8	15,9	16	10	1-14	27	33	
S350-10-14		5/8	15,9	16	10	1.3/16-12	32	35	
S350-12-14		3/4	19	19	12	1.3/16-12	32	36	
S350-12-15		3/4	19	19	12	1.7/16-12	38	36	
S350-16-15		1	25,4	25	16	1.7/16-12	38	37	
S350-16-21		1	25,4	25	16	1.11/16-12	46	38	
S350-20-21		1.1/4	31,8	32	20	1.11/16-12	46	39	

ORFS DK


– ORFS Female



Označenie Code Код	φ hadice I.D.- hose φ маркуча		DN	dash size	závit thread резба	E	C
	in	mm					
S050-04-06	1/4	6,4	6	04	9/16-18	19	25
S050-04-09	1/4	6,4	6	04	11/16-16	22	29
S050-04-11	1/4	6,4	6	04	13/16-16	24	32
S050-05-09	5/16	7,9	8	05	11/16-16	22	29
S050-06-09	3/8	9,5	10	06	11/16-16	22	29
S050-06-11	3/8	9,5	10	06	13/16-16	24	30
S050-08-11	1/2	12,7	13	08	13/16-16	24	32
S050-08-13	1/2	12,7	13	08	1-14	30	35
S050-08-14	1/2	12,7	13	08	1.3/16-12	36	37
S050-10-13	5/8	15,9	16	10	1-14	30	35
S050-10-14	5/8	15,9	16	10	1.3/16-12	36	34
S050-12-13	3/4	19	20	12	1-14	30	37
S050-12-14	3/4	19	20	12	1.3/16-12	36	35
S050-12-15	3/4	19	20	12	1.7/16-12	41	41
S050-16-15	1	25,4	25	16	1.7/16-12	41	39
S050-20-21	1.1/4	31,8	32	20	1.11/16-12	50	40
S050-24-32	1.1/2	38,1	40	24	2-12	60	41

ORFS DK 90°


– ORFS 90° Swept Elbow



Označenie Code Код	φ hadice I.D. - hose ф маркуча	DN	dash size	závit thread резба	E	H	C
	in mm			T			
S150-04-06	1/4 6,4	6	04	9/16-18	19	26	25
S150-04-09	1/4 6,4	6	04	11/16-16	22	28	25
S150-05-09	5/16 7,9	8	05	11/16-16	22	32	29
S150-06-09	3/8 9,5	10	06	11/16-16	22	33	33
S150-06-11	3/8 9,5	10	06	13/16-16	24	32	33
S150-08-11	1/2 12,7	13	08	13/16-16	24	36	39
S150-08-13	1/2 12,7	13	08	1-14	30	40	39
S150-08-14	1/2 12,7	13	08	1.3/16-12	36	39	42
S150-10-13	5/8 15,9	16	10	1-14	30	39	47
S150-10-14	5/8 15,9	16	10	1.3/16-12	36	39	42
S150-12-13	3/4 19	20	12	1-14	30	39	42
S150-12-14	3/4 19	20	12	1.3/16-12	36	49	57
S150-12-15	3/4 19	20	12	1.7/16-12	41	51	56
S150-16-15	1 25,4	25	16	1.7/16-12	41	61	67
S150-16-21	1 25,4	25	20	1.11/16-12	50	58	62
S150-20-21	1.1/4 31,8	32	20	1.11/16-12	50	58	63
S150-24-32	1.1/2 38,1	40	24	2-12	60	73	80

ORFS DK 45°


– ORFS 45° Swept Elbow



Označenie Code Код	φ hadice I.D. - hose φ маркуча	DN	dash size	závit thread резба	E	H	C	
	in	mm		T				
S250-04-06	1/4	6,4	6	04	9/16-18	19	14	40
S250-04-09	1/4	6,4	6	04	11/16-16	22	15	40
S250-05-09	5/16	7,9	8	05	11/16-16	22	14	44
S250-06-09	3/8	9,5	10	06	11/16-16	22	17	52
S250-06-11	3/8	9,5	10	06	13/16-16	24	18	51
S250-08-11	1/2	12,7	13	08	13/16-16	24	20	62
S250-08-13	1/2	12,7	13	08	1-14	30	23	64
S250-08-14	1/2	12,7	13	08	1.3/16-12	36	23	62
S250-10-13	5/8	15,9	16	10	1-14	30	22	67
S250-10-14	5/8	15,9	16	10	1.3/16-12	36	18	44
S250-12-13	3/4	19	20	12	1-14	30	15	40
S250-12-14	3/4	19	20	12	1.3/16-12	36	27	83
S250-12-15	3/4	19	20	12	1.7/16-12	41	26	84
S250-16-15	1	25,4	25	16	1.7/16-12	41	31	100
S250-20-21	1.1/4	31,8	32	20	1.11/16-12	50	44	125
S250-24-32	1.1/2	38,1	40	24	2-12	60	29	78

Nissan JIS


- JIS Female 60° cone
(Nissan)



Označenie Code Код	φ hadice I.D.- hose φ маркуча	DN	dash size	závit thread резба	T	E	E1	C
	in	mm						
0920-04-04	1/4	6,4	6	04	1/4-19	19	19	23
0920-06-06	3/8	9,5	10	06	3/8-19	22	22	28
0920-08-08	1/2	12,7	13	08	1/2-14	27	27	27
0920-12-12	3/4	19	20	12	3/4-14	32	32	29
0920-16-16	1	25,4	25	16	1-11	38	38	31

Toyota JIS


- JIS Female 60° cone
(Toyota)



Označenie Code Код	φ hadice I.D. - hose φ маркуча	DN	dash size	závit thread резба	T	E	E1	C
	in	mm						
0930-04-04	1/4	6,4	6	04	1/4-19	19	17	20
0930-06-06	3/8	9,5	10	06	3/8-19	22	19	22
0930-08-08	1/2	12,7	13	08	1/2-14	27	22	26
0930-12-12	3/4	19	20	12	3/4-14	32	30	29
0930-16-16	1	25,4	25	16	1-11	38	36	31
0930-20-20	1,1/4	31,8	32	20	1,1/4-11	50	46	35
0930-24-24	1,1/2	38,1	40	24	1,1/2-11	55	50	28

TOYOTA JIS 90°

– 90° JIS Swept Elbow
(Toyota) - welded




Označenie Code Код	φ hadice I.D. - hose φ маркуча	DN	dash size	závit thread резба	E	H	C
	in	mm		T			
0980S04-04	1/4	6,4	6	04	1/4-19	19	35
0980S06-06	3/8	9,5	10	06	3/8-19	22	30
0980S08-08	1/2	12,7	13	08	1/2-14	27	39
0980S12-12	3/4	19	20	12	3/4-14	32	55
0980S16-16	1	25,4	25	16	1-11	38	62
0980S20-20	1,1/4	31,8	32	20	1,1/4-11	50	65
0980S24-24	1,1/2	38,1	40	24	1,1/2-11	55	83

Vysvetlivka/ Explanatory/Легенда: Len na objednávku. To order only. Само по заявлению.

TOYOTA JIS 45°

- 45° JIS Swept Elbow
(Toyota) - welded




Označenie Code Код	φ hadice I.D. - hose φ маркуча	DN	dash size	závit thread резба	E	H	C	
	in	mm		T				
1030S04-04	1/4	6,4	6	04	1/4-19	19	18	44
1030S05-06	5/16	7,9	8	05	3/8-19	22	18	38
1030S06-06	3/8	9,5	10	06	3/8-19	22	18	38
1030S08-08	1/2	12,7	13	08	1/2-14	27	20	40
1030S12-12	3/4	19	20	12	3/4-14	32	26	56
1030S16-16	1	25,4	25	16	1-11	38	33	72
1030S20-20	1,1/4	31,8	32	20	1,1/4-11	50	29	67
1030S24-24	1,1/2	38,1	40	24	1,1/2-11	55	36	85

Vysvetlivka/ Explanatory/Легенда: Len na objednávku. To order only. Само по заявлению.

KOMATSU JIS


- JIS Female 60° Cone
(Komatsu)



Označenie Code Код	φ hadice I.D. - hose φ маркуча		DN	dash size	závit thread резба	T	E		
	in	mm					E1	C	
0940-04-14	1/4	6,4	6	04	M14x1,5	19	17	22	
0940-05-16	5/16	7,9	8	05	M16x1,5	22	17	22	
0940-06-14	3/8	9,5	10	06	M14x1,5	19	17	22	
0940-06-18	3/8	9,5	10	06	M18x1,5	24	19	21	
0940-08-22	1/2	12,7	13	08	M22x1,5	27	22	27	
0940-10-24	5/8	15,9	16	10	M24x1,5	30	27	26	
0940-12-30	3/4	19	20	12	M30x1,5	36	30	30	
0940-16-33	1	25,4	25	16	M33x1,5	41	36	33	
0940-20-36	1.1/4	31,8	32	20	M36x1,5	46	46	37	
0940-24-42	1.1/2	38,1	40	24	M42x1,5	50	50	38	

KOMATSU JIS 90°

– 90° JIS Swept Elbow
(Komatsu) - welded




Označenie Code Код	φ hadice I.D. - hose φ маркуча	DN	dash size	závit thread резба	E	H	C
	in	mm		T			
0990S04-14	1/4	6,4	6	04	M14x1,5	19	35
0990S05-16	5/16	7,9	8	05	M16x1,5	22	30
0990S06-14	3/8	9,5	10	06	M14x1,5	19	33
0990S06-18	3/8	9,5	10	06	M18x1,5	24	33
0990S08-22	1/2	12,7	13	08	M22x1,5	27	39
0990S10-24	5/8	15,9	16	10	M24x1,5	30	48
0990S12-30	3/4	19	20	12	M30x1,5	36	43
0990S16-33	1	25,4	25	16	M33x1,5	41	57

Vysvetlivka/ Explanatory/Легенда: Len na objednávku. To order only. Само по заявлению.

KOMATSU JIS 45°

- 45° JIS Swept Elbow
(Komatsu) - welded




Označenie Code Код	in	mm	φ hadice I.D. - hose φ маркуча	DN	dash size	závit thread резба	T	E	H	C
1040S04-14	1/4	6,4		6	04	M14x1,5	19	18	44	
1040S05-16	5/16	7,9		8	05	M16x1,5	22	18	38	
1040S06-14	3/8	9,5		10	06	M14x1,5	19	18	41	
1040S06-18	3/8	9,5		10	06	M18x1,5	24	18	43	
1040S08-22	1/2	12,7		13	08	M22x1,5	27	20	40	
1040S10-24	5/8	15,9		16	10	M24x1,5	30	23	50	
1040S12-30	3/4	19		20	12	M30x1,5	36	26	56	
1040S16-33	1	25,4		25	16	M33x1,5	41	33	65	

Vysvetlivka/ Explanatory/Легенда: Len na objednávku. To order only. Само по заявлению.

SFL


- Straight SAE Flange 3000 PSI



Označenie Code Код	in	φ hadice I.D. - hose φ маркуча	mm	DN	dash size	T	mm	C
1260-08-08	1/2	12,7	13	08		1/2	30,2	45
1260-08-12	1/2	12,7	13	08		3/4	38,1	50
1260-10-08	5/8	15,9	16	10		1/2	30,2	45
1260-10-12	5/8	15,9	16	10		3/4	38,1	49
1260-12-12	3/4	19	20	12		3/4	38,1	50
1260-12-16	3/4	19	20	12		1	44,5	53
1260-16-16	1	25,4	25	16		1	44,5	54
1260-16-20	1	25,4	25	16		1.1/4	50,8	57
1260-20-20	1.1/4	31,8	32	20		1.1/4	50,8	59
1260-20-24	1.1/4	31,8	32	20		1.1/2	60,3	62
1260-24-24	1.1/2	38,1	40	24		1.1/2	60,3	62
1260-24-32	1.1/2	38,1	40	24		2	71,4	67
1260-32-32	2	50,8	50	32		2	71,4	68
1260-32-40	2	50,8	50	32		2.1/2	84,1	76

SFL 90°


– 90° SAE Flange 3000 PSI



Označenie Code Код	φ hadice I.D. - hose ф маркуча	DN	dash size	T	mm	H	C
	in	mm					
1060-08-08	1/2	12,7	13	08	1/2	30,2	39
1060-08-12	1/2	12,7	13	08	3/4	38,1	44
1060-10-08	5/8	15,9	16	10	1/2	30,2	42
1060-10-12	5/8	15,9	16	10	3/4	38,1	47
1060-12-12	3/4	19	20	12	3/4	38,1	53
1060-12-16	3/4	19	20	12	1	44,5	58
1060-16-16	1	25,4	25	16	1	44,5	65
1060-16-20	1	25,4	25	16	1.1/4	50,8	70
1060-16-24	1	25,4	25	16	1.1/2	60,3	71
1060-20-20	1.1/4	31,8	32	20	1.1/4	50,8	81
1060-20-24	1.1/4	31,8	32	20	1.1/2	60,3	85
1060-24-24	1.1/2	38,1	40	24	1.1/2	60,3	92
1060-24-32	1.1/2	38,1	40	24	2	71,4	97
1060-32-32	2	50,8	50	32	2	71,4	121
							123

SFL 45°


– 45° SAE Flange 3000 PSI



Označenie Code Код	in	mm	φ hadice I.D. - hose φ маркуча	DN	dash size	T	mm	H	C
1160-08-08	1/2	12,7	13	08	1/2	30,2	22	62	
1160-08-12	1/2	12,7	13	08	3/4	38,1	25	68	
1160-12-12	3/4	19	20	12	3/4	38,1	27	83	
1160-12-16	3/4	19	20	12	1	44,5	30	88	
1160-16-16	1	25,4	25	16	1	44,5	33	82	
1160-16-20	1	25,4	25	16	1.1/4	50,8	37	108	
1160-20-20	1.1/4	31,8	32	20	1.1/4	50,8	38	102	
1160-20-24	1.1/4	31,8	32	20	1.1/2	60,3	39	129	
1160-24-24	1.1/2	38,1	40	24	1.1/2	60,3	45	113	
1160-24-32	1.1/2	38,1	40	24	2	71,4	48	148	
1160-32-32	2	50,8	50	32	2	71,4	58	184	

SFS


- Straight SAE Flange 6000 PSI



Označenie Code Код	φ hadice I.D. - hose φ маркуча	DN	dash size	T	E	C
	in	mm				
1310-08-08	1/2	12,7	13 08	1/2	31.7	46
1310-08-12	1/2	12,7	13 08	3/4	41.3	53
1310-10-08	5/8	15,9	16 10	1/2	31.7	46
1310-10-12	5/8	15,9	16 10	3/4	41.3	53
1310-10-16	5/8	15,9	16 10	1	47.6	59
1310-12-12	3/4	19	20 12	3/4	41.3	54
1310-12-16	3/4	19	20 12	1	47.6	60
1310-16-12	1	25,4	25 16	3/4	41.3	55
1310-16-16	1	25,4	25 16	1	47.6	61
1310-16-20	1	25,4	25 16	1.1/4	54	68
1310-20-20	1.1/4	31,8	32 20	1.1/4	54	70
1310-20-24	1.1/4	31,8	32 20	1.1/2	63.5	76
1310-24-24	1.1/2	38,1	40 24	1.1/2	63.5	76
1310-24-32	1.1/2	38,1	40 24	2	79.4	85
1310-32-32	2	50,8	50 32	2	79.4	85

SFS 90°


– 90° SAE Flange 6000 PSI



Označenie Code Код	φ hadice I.D. - hose φ маркуча	DN	dash size	T	mm	H	C
	in	mm					
1110-08-08	1/2	12,7	13	08	1/2	31,7	39
1110-08-12	1/2	12,7	13	08	3/4	41,3	48
1110-10-08	5/8	15,9	16	10	1/2	31,7	42
1110-10-12	5/8	15,9	16	10	3/4	41,3	51
1110-10-16	5/8	15,9	16	10	1	47,6	56
1110-12-08	3/4	19	20	12	1/2	31,7	54
1110-12-12	3/4	19	20	12	3/4	41,3	57
1110-12-16	3/4	19	20	12	1	47,6	63
1110-16-12	1	25,4	25	16	3/4	41,3	64
1110-16-16	1	25,4	25	16	1	47,6	70
1110-16-20	1	25,4	25	16	1.1/4	54	73
1110-20-20	1.1/4	31,8	32	20	1.1/4	54	88
1110-20-24	1.1/4	31,8	32	20	1.1/2	63,5	90
1110-24-24	1.1/2	38,1	40	24	1.1/2	63,5	104
1110-24-32	1.1/2	38,1	40	24	2	79,4	112
1110-32-32	2	50,8	50	32	2	79,4	136
							125

SFS 45°


– 45° SAE Flange 6000 PSI



Označenie Code Код	φ hadice I.D. - hose φ маркуча	DN	dash size	T	mm	H	C
	in	mm					
1210-08-08	1/2	12,7	13	08	1/2	31,7	22
1210-08-12	1/2	12,7	13	08	3/4	41,3	28
1210-10-08	5/8	15,9	16	10	1/2	31,7	21
1210-10-12	5/8	15,9	16	10	3/4	41,3	27
1210-10-16	5/8	15,9	16	10	1	47,6	32
1210-12-12	3/4	19	20	12	3/4	41,3	30
1210-12-16	3/4	19	20	12	1	47,6	32
1210-16-12	1	25,4	25	16	3/4	41,3	30
1210-16-16	1	25,4	25	16	1	47,6	35
1210-16-20	1	25,4	25	16	1.1/4	54	42
1210-20-20	1.1/4	31,8	32	20	1.1/4	54	44
1210-20-24	1.1/4	31,8	32	20	1.1/2	63,5	48
1210-24-24	1.1/2	38,1	40	24	1.1/2	63,5	50
1210-24-32	1.1/2	38,1	40	24	2	79,4	66
1210-32-32	2	50,8	50	32	2	79,4	71
							198

SFL 90° L

– 90° SAE Flange 3000 Psi –
Long Drop




Označenie Code Код	φ hadice I.D. - hose φ маркуча	DN	dash size	T	mm	H	C
	in	mm					
FS3L-08-08	1/2	12,7	13	08	1/2	30,2	73
FS3L-12-12	3/4	19	20	12	3/4	38,1	123
FS3L-16-16	1	25,4	25	16	1	44,5	127
FS3L-20-20	1.1/4	31,8	32	20	1.1/4	50,8	178
FS3L-24-24	1.1/2	38,1	40	24	1.1/2	60,3	220

Vysvetlivka/ Explanatory/Легенда: Len na objednávku. To order only. Само по заявкото.

SFS 90° L

– 90° SAE Flange 6000 Psi –
Long Drop




Označenie Code Код	φ hadice I.D. - hose φ маркуча	DN	dash size	T	mm	H	C
	in	mm					
FS6L-08-08	1/2	12,7	13	08	1/2	31,7	75
FS6L-12-12	3/4	19	20	12	3/4	41,3	126
FS6L-16-16	1	25,4	25	16	1	47,6	132
FS6L-20-20	1.1/4	31,8	32	20	1.1/4	54	185
FS6L-24-24	1.1/2	38,1	40	24	1.1/2	63,5	233

Vysvetlivka/ Explanatory/Легенда: Len na objednávku. To order only. Само по заявкото.

SFC

– Straight 'CAT' Flange




Označenie Code Код	φ hadice I.D. - hose φ маркуча	DN	dash size	T	mm	C
	in	mm				
130S-12-12	3/4	19	20	12	3/4	41.3
130S-12-16	3/4	19	20	12	1	47.6
130S-16-16	1	25,4	25	16	1	47.6
130S-16-20	1	25,4	25	16	1.1/4	54
130S-20-20	1.1/4	31,8	32	20	1.1/4	54
130S-20-24	1.1/4	31,8	32	20	1.1/2	63.5
130S-24-24	1.1/2	38,1	40	24	1.1/2	63.5

Vysvetlivka/Legend: Len na objednávku. Само по заявлению. To order only.

SFC 90°

– 90° 'CAT' Flange




Označenie Code Код	φ hadice I.D. - hose φ маркуча	DN	dash size	T	mm	H	C
	in	mm					
110S-12-12	3/4	19	20	12	3/4	41.3	62
110S-12-16	3/4	19	20	12	1	47.6	65
110S-16-16	1	25,4	25	16	1	47.6	74
110S-16-20	1	25,4	25	16	1.1/4	54	80
110S-20-20	1.1/4	31,8	32	20	1.1/4	54	90
110S-20-24	1.1/4	31,8	32	20	1.1/2	63.5	97
110S-24-24	1.1/2	38,1	40	24	1.1/2	63.5	115

Vysvetlivka/Legend: Len na objednávku. Само по заявлению. To order only.

SFC 45°

- 45° CAT Flange




Označenie Code Код	φ hadice I.D. - hose φ маркуча	DN	dash size	T	mm	H	C
	in	mm					
120S-12-12	3/4	19	20	12	3/4	41.3	32
120S-12-16	3/4	19	20	12	1	47.6	37
120S-16-16	1	25,4	25	16	1	47.6	40
120S-16-20	1	25,4	25	16	1.1/4	54	44
120S-20-20	1.1/4	31,8	32	20	1.1/4	54	44
120S-20-24	1.1/4	31,8	32	20	1.1/2	63.5	48
120S-24-24	1.1/2	38,1	40	24	1.1/2	63.5	52
							172

Vysvetlivka/Legend: Len na objednávku. Само по заявлению. To order only.

Hadicová spojka

- Hose Junction
- спойка за маркуч



Označenie
Code
Код

φ hadice
I.D. - hose
φ маркуча

DN

dash
size

C


in

mm

D050-03	3/16	4,8	4	03	17
D050-04	1/4	6,4	6	04	17
D050-05	5/16	7,9	8	05	17
D050-06	3/8	9,5	10	06	17
D050-08	1/2	12,7	12	08	18
D050-10	5/8	15,9	16	10	18
D050-12	3/4	19	20	12	19
D050-16	1	25,4	25	16	21
D050-20	1.1/4	31,8	32	20	24
D050-24	1.1/2	38,1	40	24	24
D050-32	2	50,8	50	32	26

Navarovacia koncovka

- Weldable Fitting
- накрайник за заваряване




Označenie Code Код	φ hadice I.D.- hose ф маркуча	DN	dash size	A	B	C
	in	mm				
GS00-03-06	3/16	4,8	4 03	06	6	12
GS00-03-08	3/16	4,8	4 03	08	6	12
GS00-04-06	1/4	6,4	6 04	06	6	14
GS00-04-08	1/4	6,4	6 04	08	6	14
GS00-04-10	1/4	6,4	6 04	10	6	15
GS00-04-12	1/4	6,4	6 04	12	7	17
GS00-05-08	5/16	7,9	8 05	08	6	14
GS00-05-10	5/16	7,9	8 05	10	6	14
GS00-05-12	5/16	7,9	8 05	12	6	14
GS00-06-06	3/8	9,5	10 06	06	6	15
GS00-06-08	3/8	9,5	10 06	08	6	15
GS00-06-10	3/8	9,5	10 06	10	6	14
GS00-06-12	3/8	9,5	10 06	12	7	15
GS00-06-14	3/8	9,5	10 06	14	8	15
GS00-06-15	3/8	9,5	10 06	15	7	14
GS00-08-12	1/2	12,7	13 08	12	7	15
GS00-08-14	1/2	12,7	13 08	14	8	15
GS00-08-15	1/2	12,7	13 08	15	7	15
GS00-08-16	1/2	12,7	13 08	16	7	15
GS00-08-18	1/2	12,7	13 08	18	7	15
GS00-08-20	1/2	12,7	13 08	20	9	18
GS00-10-12	5/8	15,9	16 10	12	7	15
GS00-10-16	5/8	15,9	16 10	16	8	16

pokračovanie na ďalšej strane / continue on the next page / продолжава на следващата страница

Vysvetlivka/ Explanatory/Легенда: Len na objednávku. To order only. Само по заявкото.

Navarovacia koncovka

- Weldable Fitting
- GS00 накрайник за заваряване




Označenie Code Код	φ hadice I.D. - hose φ маркуча	DN	dash size	A	B	C
	in	mm				
GS00-10-18	5/8	15,9	16	10	18	8 16
GS00-10-20	5/8	15,9	16	10	20	9 18
GS00-10-22	5/8	15,9	16	10	22	9 18
GS00-12-16	3/4	19	20	12	16	8 16
GS00-12-18	3/4	19	20	12	18	8 16
GS00-12-20	3/4	19	20	12	20	9 18
GS00-12-22	3/4	19	20	12	22	9 18
GS00-12-25	3/4	19	20	12	25	9 19
GS00-12-32	3/4	19	20	12	32	9 20
GS00-16-25	1	25,4	25	16	25	9 19
GS00-16-28	1	25,4	25	16	28	9 20
GS00-16-30	1	25,4	25	16	30	9 20
GS00-16-32	1	25,4	25	16	32	9 20
GS00-16-38	1	25,4	25	16	38	11 26
GS00-20-30	1.1/4	31,8	32	20	30	9 21
GS00-20-32	1.1/4	31,8	32	20	32	9 21
GS00-20-35	1.1/4	31,8	32	20	35	11 23
GS00-20-38	1.1/4	31,8	32	20	38	11 24
GS00-24-32	1.1/2	38,1	40	24	32	9 23
GS00-24-38	1.1/2	38,1	40	24	38	11 23
GS00-24-42	1.1/2	38,1	40	24	42	10 23
GS00-24-50	1.1/2	38,1	40	24	50	10 23
GS00-32-50	2	50,8	50	32	50	10 23

Vysvetlivka/ Explanatory/Легенда: Len na objednávku. To order only. Само по заявкото.

AGR-F

– BSP Male flat seat




Nízkotlakové/low pressure

Označenie Code Означение	φ hadice I.D. - hose φ маркуча		DN	dash size	závit thread резба	E
	in	mm				
0345B04-02	1/4	6,4	6	06	1/8	14
0345B04-04	1/4	6,4	6	06	1/4	14
0345B05-04	5/16	7,9	8	08	1/4	14
0345B05-06	5/16	7,9	8	08	3/8	17
0345B06-04	3/8	9,5	10	10	1/4	17
0345B06-06	3/8	9,5	10	10	3/8	17
0345B06-08	3/8	9,5	10	10	1/2	22
0345B08-06	1/2	12,7	13	13	3/8	19
0345B08-08	1/2	12,7	13	13	1/2	22
0345B10-06	5/8	15,9	16	16	3/8	19
0345B10-08	5/8	15,9	16	16	1/2	22
0345B10-12	5/8	15,9	16	16	3/4	27
0345B12-08	3/4	19	19	19	1/2	24
0345B12-12	3/4	19	19	19	3/4	29
0345B12-16	3/4	19	19	19	1	34
0345B16-12	1	25,4	25	25	3/4	30
0345B16-16	1	25,4	25	25	1	43
0345B20-12	1.1/4	31,8	32	32	3/4	34
0345B20-16	1.1/4	31,8	32	32	1	36
0345B20-20	1.1/4	31,8	32	32	1.1/4	42
0345B24-20	1.1/2	38,1	38	38	1.1/4	42
0345B24-24	1.1/2	38,1	38	38	1.1/2	50
0345B32-32	2	50,8	51	50	2	60
0345B40-40	2.1/2	63,5	63	70	2.1/2	75

Vysvetlivka/ Explanatory/Легенда: Len na objednávku. To order only. Само по заявлению.

AGR

– BSP Male 60° seat




Nízkotlakové/low pressure

Označenie Code Означение	φ hadice I.D. - hose φ маркуча		DN	dash size	závit thread резба	E
	in	mm				
0350B04-02	1/4	6,4	6	06	1/8	14
0350B04-04	1/4	6,4	6	06	1/4	19
0350B05-04	5/16	7,9	8	08	1/4	19
0350B06-04	3/8	9,5	10	10	1/4	19
0350B06-06	3/8	9,5	10	10	3/8	22

Vysvetlivka/ Explanatory/Легенда: Len na objednávku. To order only. Само по заявлению.

DKR

– BSP Female 60° Cone




Nízkotlakové/low pressure

Označenie Code Означение	φ hadice I.D. - hose φ маркуча	DN	dash size	závit thread резба
	in	mm		T
0051B03-02	3/16	4,8	5	05
0051B04-02	1/4	6,4	6	06
0051B04-04	1/4	6,4	6	06
0051B05-04	5/16	7,9	8	08
0051B05-06	5/16	7,9	8	08
0051B06-06	3/8	9,5	10	10
0051B06-08	3/8	9,5	10	10
0051B08-06	1/2	12,7	13	13
0051B08-08	1/2	12,7	13	13
0051B10-08	5/8	15,9	16	16
0051B10-12	5/8	15,9	16	16
0051B12-12	3/4	19	19	19
0051B12-16	3/4	19	19	19
0051B16-16	1	25,4	25	25
0051B20-20	1.1/4	31,8	32	32
0051B20-24	1.1/4	31,8	32	32
0051B24-24	1.1/2	38,1	38	38
0051B32-32	2	50,8	51	50
0051B40-40	2.1/2	63,5	63	60
0051B48-48	3	76,2	76	70

Vysvetlivka/ Explanatory/Легенда: Len na objednávku. To order only. Само по заявлению.

DKR 90°

- BSP 90° Swept elbow
- 60° Cone




Nízkotlakové/low pressure

Označenie Code Означение	φ hadice I.D. - hose φ маркуча		DN	závit thread резба
	in	mm		
0151B04-04	1/4	6,4	06	1/4
0151B05-04	5/16	7,9	08	1/4
0151B05-06	5/16	7,9	08	3/8
0151B06-06	3/8	9,5	10	3/8
0151B06-08	3/8	9,5	10	1/2
0151B08-06	1/2	12,7	13	3/8
0151B08-08	1/2	12,7	13	1/2
0151B08-12	1/2	12,7	13	3/4
0151B10-08	5/8	15,9	16	1/2
0151B10-12	5/8	15,9	16	3/4
0151B12-12	3/4	19	19	3/4
0151B12-16	3/4	19	19	1
0151B16-12	1	25,4	25	3/4
0151B16-16	1	25,4	25	1
0151B16-20	1	25,4	25	1.1/4
0151B20-20	1.1/4	31,8	32	1.1/4
0151B24-24	1.1/2	38,1	38	1.1/2
0151B32-32	2	50,8	50	2
0151B40-40	2.1/2	63,5	60	2.1/2

Vysvetlivka/ Explanatory/Легенда: Len na objednávku. To order only. Само по заявлению.

DKR 45°

- BSP 45° Swept elbow
- 60° Cone




Nízkotlakové/low pressure

Označenie Code Означение	∅ hadice I.D. - hose ∅ маркуча	DN	závit thread резба
	in	mm	T
0251B04-04	1/4	6,4	06
0251B05-06	5/16	7,9	08
0251B06-06	3/8	9,5	10
0251B06-08	3/8	9,5	10
0251B08-06	1/2	12,7	13
0251B08-08	1/2	12,7	13
0251B10-12	5/8	15,9	16
0251B12-12	3/4	19	19
0251B12-16	3/4	19	19
0251B16-16	1	25,4	25
0251B20-20	1.1/4	31,8	32
0251B24-24	1.1/2	38,1	38
0251B32-32	2	50,8	50

Vysvetlivka/ Explanatory/Легенда: Len na objednávku. To order only. Само по заявлению.

DKR F

– BSP Female flat seat




Nízkotlakové/low pressure

Označenie Code Означение	φ hadice I.D. - hose φ маркуча		DN	závit thread резба
	in	mm		
0060B04-04	1/4	6,4	06	1/4
0060B05-04	5/16	7,9	08	1/4
0060B05-06	5/16	7,9	08	3/8
0060B06-06	3/8	9,5	10	3/8
0060B06-08	3/8	9,5	10	1/2
0060B08-08	1/2	12,7	13	1/2
0060B10-12	5/8	15,9	16	3/4
0060B12-12	3/4	19	19	3/4
0060B12-16	3/4	19	19	1
0060B16-16	1	25,4	25	1
0060B20-20	1.1/4	31,8	32	1.1/4
0060B24-24	1.1/2	38,1	38	1.1/2
0060B32-32	2	50,8	50	2

Vysvetlivka/ Explanatory/Легенда: Len na objednávku. To order only. Само по заявлению.

DKR F 90°

- BSP 90° Swept elbow flat seat




Nízkotlakové/low pressure

Озnačение Code Označение	Ø hadice I.D. - hose Ø маркуча	DN	závit thread резба
	in	mm	T
0160B08-08	1/2	12,7	13
0160B08-12	1/2	12,7	13
0160B12-12	3/4	19	19
0160B12-16	3/4	19	19

Vysvetlivka/ Explanatory/Легенда: Len na objednávku. To order only. Само по заявлению.

CEL

– Metric male 24° - 60° seat




Nízkotlakové/low pressure

Озnačение Code Označение	φ hadice I.D. - hose φ маркуча	DN	závit thread резба	E
	in	mm	T	
0400B02-12	3/16	4,8	05	M12-1,5 14
0400B04-14	1/4	6,4	06	M14-1,5 19
0400B05-14	5/16	7,9	08	M14-1,5 19
0400B06-14	3/8	9,5	10	M14-1,5 19

DKL M

- Metric female 24°- 60°
Cono




Nízkotlakové/low pressure

Озnačение Code Označение	Ø hadice I.D.- hose Ø маркуча	DN	závit thread резба	E
	in	mm	T	
0100B03-10	3/16	4,8	05	M10-1 14
0100B03-12	3/16	4,8	05	M12-1,5 14
0100B04-12	1/4	6,4	06	M12-1,5 14
0100B04-14	1/4	6,4	06	M14-1,5 17
0100B05-14	5/16	7,9	08	M14-1,5 17
0100B05-16	5/16	7,9	08	M16-1,5 19
0100B06-18	3/8	9,5	10	M18-1,5 22
0100B08-18	1/2	12,7	13	M18-1,5 22
0100B08-22	1/2	12,7	13	M22-1,5 27
0100B10-22	5/8	15,9	16	M22-1,5 27
0100B10-27	5/8	15,9	16	M27-1,5 32
0100B10-26	5/8	15,9	16	M26-1,5 32
0100B12-26	3/4	19	19	M26-1,5 32
0100B20-45	1 1/4	31,8	32	M45-1,5 50
0100B20-45-2	1 1/4	31,8	32	M45-2 50

DKL F-rovné čelo

– Metric female flat face




Nízkotlakové/low pressure

Озnačenie Code Označение	Ø hadice I.D.- hose Ø маркуча	DN	závit thread резба	E
in	mm		T	
0100B09-22	1/2	12,7	M22-1,5	27

Vysvetlivka/ Explanatory/Легенда: Len na objednávku. To order only. Само по заявлению.

DKL M 90°

- 90° Metric swept elbow
- 60° Cone




Nízkotlakové/low pressure

Označenie Code Означение	φ hadice I.D. - hose φ маркуча	DN	závit thread резба
	in	mm	T
0200B04-14	1/4	6,4	06
0200B05-16	5/16	7,9	08
0200B06-18	3/8	9,5	10
0200B08-22	1/2	12,7	13
0200B10-26	5/8	15,9	16
0200B12-26	3/4	19	M26-1,5

Vysvetlivka/ Explanatory/Легенда: Len na objednávku. To order only. Само по заявлению.

DKL M 45°

- 45° Metric swept elbow
- 60° Cone




Nízkotlakové/low pressure

Označenie Code Означение	φ hadice I.D. - hose φ маркуча	DN	závit thread резба
	in	mm	T
0300B04-14	1/4	6,4	06
0300B05-16	5/16	7,9	08
0300B06-18	3/8	9,5	10
0300B08-18	1/2	12,7	13
0300B08-22	1/2	12,7	13
0300B10-26	5/8	15,9	16
0300B12-26	3/4	19	19

Vysvetlivka/ Explanatory/Легенда: Len na objednávku. To order only. Само по заявлению.

RNM

– Metric Banjo




Nízkotlakové/low pressure

Označenie Code Означение	φ hadice I.D. - hose φ маркуча	DN	závit thread резба
	in	mm	T
1350B04-10	1/4	6,4	06
1350B04-12	1/4	6,4	06
1350B04-14	1/4	6,4	06
1350B05-12	5/16	7,9	08
1350B05-14	5/16	7,9	08
1350B05-16	5/16	7,9	08
1350B06-16	3/8	9,5	10
1350B06-18	3/8	9,5	10
1350B08-18	1/2	12,7	13
1350B08-22	1/2	12,7	13
1350B10-18	5/8	15,9	16

Vysvetlivka/ Explanatory/Легенда: Len na objednávku. To order only. Само по заявлению.

RNR

– BSP Banjo




Nízkotlakové/low pressure

Označenie Code Означение	φ hadice I.D. - hose φ маркуча	DN	závit thread резба
	in	mm	T
1400B04-04	1/4	6,4	06
1400B05-04	5/16	7,9	08
1400B05-06	5/16	7,9	08
1400B06-04	3/8	9,5	10
1400B06-06	3/8	9,5	10
1400B08-06	1/2	12,7	13
1400B08-08	1/2	12,7	13
1400B10-06	5/8	15,9	16
1400B10-08	5/8	15,9	16
1400B10-12	5/8	15,9	16
1400B12-12	3/4	19	19
1400B16-12	1	25,4	25
1400B16-16	1	25,4	25
			1

Vysvetlivka/ Explanatory/Легенда: Len na objednávku. To order only. Само по заявлению.

DKR Push-On

- Push-on - BSP Female
60° Cone



Nízkotlakové/low pressure


Označenie Code Означение	φ hadice I.D. - hose φ маркуча	DN	dash size	závit thread резба	T	E	C
	in	mm					
P050-04-04	1/4	6,4	6	04	1/4-19	17	10
P050-06-06	3/8	9,5	10	06	3/8-19	19	10
P050-08-08	1/2	12,7	13	08	1/2-14	27	13
P050-12-12	3/4	19	19	12	3/4-14	32	16
P050-16-16	1	25,4	25	16	1-11	38	15

Vysvetlivka/ Explanatory/Легенда: Len na objednávku. To order only. Само по заявлению.

DKR 90°

Push-On

– Push-on - BSP 90° Swept
elbow 60° Cone



Nízkotlakové/low pressure


Označenie Code Означение	φ hadice I.D. - hose φ маркуча		DN	dash size	závit thread резба	T	E	C
	in	mm						
P150-04-04	1/4	6,4	6	04	1/4-19	17	26	20
P150-06-06	3/8	9,5	10	06	3/8-19	19	28	21
P150-08-08	1/2	12,7	13	08	1/2-14	27	35	26
P150-12-12	3/4	19	19	12	3/4-14	32	46	37
P150-16-16	1	25,4	25	16	1-11	38	55	44

Vysvetlivka/ Explanatory/Легенда: Len na objednávku. To order only. Само по заявлению.

DKR 45°

Push-On

- Push-on - BSP Male
60° seat




Nízkotlakové/low pressure

Označenie Code Означение	φ hadice I.D. - hose φ маркуча	DN	dash size	závit thread резба	E	C
	in	mm		T		
P350-04-04	1/4	6,4	6	04	1/4-19	19
P350-06-06	3/8	9,5	10	06	3/8-19	22
P350-08-08	1/2	12,7	13	08	1/2-14	27
P350-12-12	3/4	19	19	12	3/4-14	32
P350-16-16	1	25,4	25	16	1-11	41

Vysvetlivka/ Explanatory/Легенда: Len na objednávku. To order only. Само по заявлению.

Objímka s orezom

- Swaged Ferrule (skive)
- Чаша със забелзване
pre hadicu/for hose/за маркуч
R9 - 4SP - 4SH




Interlock

Označenie Code Код	φ hadice I.D. - hose φ маркуча	DN	D	L	d	orez skive забелзване	platí pre valid for важи за
	in	mm					
004N-12	3/4	19	19	38,0	60,0	29,9	52/15 R9-DIN 4SP-4SH-R15
004N-16	1	25,4	25	46,0	74,5	37,3	64/17 4SP-4SH-R12-R13-R15
004N-20	1.1/4	31,8	32	55,0	88,0	44,2	74/22 DIN 4SH - R12
004N-24	1.1/2	38,1	38	62,0	94,0	51,3	81/22,5 DIN 4SH - R12
004N-32	2	50,8	51	78,0	99,0	66,0	85/30 DIN 4SH

VONKAJŠÍ / VNÚTRONY mm
OUTSIDE / INSIDE mm
ВЪНШЕН / ВЪТРЕШЕН mm

Objímka s orezom

- Swaged Ferrule (skive)
- Чаша със забелзване
pre hadicu/for hose/за маркуч
R13 - R15




Interlock

Označenie Code Код	φ hadice I.D. - hose ϕ маркуча	DN	D	L	d	orez skive забелзване	platí pre valid for важи за	
	in	mm						
0013-12	3/4	19	19	38,0	60,0	29,9	52/15	DIN 4SP- R12- R13- R15
0013-16	1	25,4	25	46,0	74,5	37,3	64/17	R13 -R15
0013-20	1.1/4	31,8	32	60,0	88,0	49,5	74/22	R13 -R15
0013-24	1.1/2	38,1	38	67,0	94,0	56,0	81/22,5	R13 -R15
0013-32	2	50,8	51	84,5	99,0	71,0	85/30	R13

VONKAJŠÍ / VNÚTRONY mm
OUTSIDE / INSIDE mm
ВЪНШЕН / ВЪТРЕШЕН mm

AGR-K

– BSP Taper Male 60° cone




Interlock

Označenie Code Код	φ hadice I.D. - hose φ маркуча	DN	dash size	závit thread резба	E	C
	in	mm		T		
0360H12-12	3/4	19	19	12	3/4-14	27
0360H16-16	1	25,4	25	16	1-11	36
0360H20-20	1.1/4	31,8	32	20	1.1/4-11	46
0360H24-24	1.1/2	38,1	38	24	1.1/2-11	50
0360H32-32	2	50,8	51	32	2-11	65

Vysvetlivka/ Explanatory/Легенда: Len na objednávku. To order only. Само по заявлению.

AGN

– NPTF Male 60° cone




Interlock

Označenie Code Код	φ hadice I.D.- hose φ маркуча	DN	dash size	závit thread резба	E	C
	in	mm		T		
0370H12-12	3/4	19	19	12	3/4-14	27
0370H16-16	1	25,4	25	16	1-11.1/2	36
0370H20-20	1.1/4	31,8	32	20	1.1/4-11.1/2	46
0370H24-24	1.1/2	38,1	38	24	1.1/2-11.1/2	50
0370H32-32	2	50,8	51	32	2-11.1/2	65

Vysvetlivka/ Explanatory/Легенда: Len na objednávku. To order only. Само по заявлению.

AGR

– BSP Male Parallel 60° cone




Interlock

Označenie Code Код	φ hadice I.D.- hose φ маркуча	DN	dash size	závit thread резба	E	C
	in	mm		T		
0350H12-12	3/4	19	19	12	3/4-14	32
0350H12-16	3/4	19	19	12	1-11	41
0350H16-16	1	25,4	25	16	1-11	41
0350H16-20	1	25,4	25	16	1.1/4-11	41
0350H20-20	1.1/4	31,8	32	20	1.1/4-11	42
0350H24-24	1.1/2	38,1	38	24	1.1/2-11	44
0350H32-32	2	50,8	51	32	2-11	53

Vysvetlivka/ Explanatory/Легенда: Len na objednávku. To order only. Само по заявлению.

DKR

- BSP Female 60° cone
- Thrust Wire




Interlock

Označenie Code Код	φ hadice I.D.- hose φ маркуча	DN	dash size	závit thread резба	T	E	C
	in	mm					
0050H12-12	3/4	19	19	12	3/4-14	32	23
0050H12-16	3/4	19	19	12	1-11	38	25
0050H16-16	1	25,4	25	16	1-11	38	26
0050H20-20	1.1/4	31,8	32	20	1.1/4-11	50	29
0050H20-24	1.1/4	31,8	32	20	1.1/2-11	55	31
0050H24-24	1.1/2	38,1	38	24	1.1/2-11	55	31
0050H32-32	2	50,8	51	32	2-11	70	30

Vysvetlivka/ Explanatory/Легенда: Len na objednávku. To order only. Само по заявлению.

DKR 90°

- BSP 90° Swept Elbow 60° cone Thrust Wire




Interlock

Označenie Code Код	φ hadice I.D. - hose φ маркуча	DN	dash size	závit thread резба	T	E	C
	in	mm					
0150H12-12	3/4	19	19	12	3/4-14	32	56
0150H16-16	1	25,4	25	16	1-11	38	70
0150H16-20	1	25,4	25	16	1.1/4-11	50	76
0150H20-20	1.1/4	31,8	32	20	1.1/4-11	50	83
0150H24-24	1.1/2	38,1	38	24	1.1/2-11	55	104
0150H32-32	2	50,8	51	32	2-11	70	135

Vysvetlivka/ Explanatory/Легенда: Len na objednávku. To order only. Само по заявлению.

DKR 45°

- BSP 45° Swept Elbow 60° cone Thrust Wire




Interlock

Označenie Code Код	φ hadice I.D. - hose φ маркуча	DN	dash size	závit thread резба	E	H	C
	in mm			T			
0250H12-12	3/4 19	19	12	3/4-14	32	28	84
0250H16-16	1 25,4	25	16	1-11	38	38	112
0250H20-20	1.1/4 31,8	32	20	1.1/4-11	50	41	137
0250H24-24	1.1/2 38,1	38	24	1.1/2-11	55	54	166
0250H32-32	2 50,8	51	32	2-11	70	70	195

Vysvetlivka/ Explanatory/Легенда: Len na objednávku. To order only. Само по заявлению.

AGJ

– JIC Male 74° cone




Interlock

Označenie Code Код	φ hadice I.D. - hose φ маркуча	DN	dash size	závit thread резба	E	C
	in	mm		T		
0850H12-12	3/4	19	19	12	1.1/16-12	27
0850H16-16	1	25,4	25	16	1.5/16-12	34
0850H20-20	1.1/4	31,8	32	20	1.5/8-12	42
0850H24-24	1.1/2	38,1	38	24	1.7/8-12	50
0850H32-32	2	50,8	51	32	2.1/2-12	61

Vysvetlivka/ Explanatory/Легенда: Len na objednávku. To order only. Само по заявлению.

DKJ

- JIC Female 74° cone
- Thrust Wire




Interlock

Označenie Code Код	φ hadice I.D. - hose φ маркуча	DN	dash size	závit thread резба	E	C
	in	mm		T		
0900H12-12	3/4	19	19	12	1.1/16-12	32
0900H12-16	3/4	19	19	12	1.5/16-12	41
0900H16-16	1	25,4	25	16	1.5/16-12	41
0900H20-16	1.1/4	31,8	32	20	1.5/16-12	41
0900H20-20	1.1/4	31,8	32	20	1.5/8-12	50
0900H24-24	1.1/2	38,1	38	24	1.7/8-12	55
0900H32-32	2	50,8	51	32	2.1/2-12	70

Vysvetlivka/ Explanatory/Легенда: Len na objednávku. To order only. Само по заявлению.

DKJ 90°

– JIC 90° Swept Elbow 74° cone Thrust Wire




Interlock

Označenie Code Код	φ hadice I.D. - hose φ маркуча	DN	dash size	závit thread резба	E	H	C
	in mm			T			
0950H12-12	3/4 19	19	12	1.1/16-12	32	54	54
0950H12-14	3/4 19	19	12	1.3/16-12	36	57	54
0950H12-16	3/4 19	19	12	1.5/16-12	41	62	54
0950H16-16	1 25,4	25	16	1.5/16-12	41	66	77
0950H16-20	1 25,4	25	16	1.5/8-12	50	77	73
0950H20-20	1.1/4 31,8	32	20	1.5/8-12	50	88	92
0950H24-24	1.1/2 38,1	38	24	1.7/8-12	55	95	98
0950H32-32	2 50,8	51	32	2.1/2-12	70	134	121

Vysvetlivka/ Explanatory/Легенда: Len na objednávku. To order only. Само по заявлению.

DKJ 45°

– JIC 45° Swept Elbow 74°
cone Thrust Wire




Interlock

Označenie Code Код	φ hadice I.D. - hose φ маркуча	DN	dash size	závit thread резба	E	H	C
	in	mm		T			
1000H12-12	3/4	19	19	12	1.1/16-12	32	28
1000H12-14	3/4	19	19	12	1.3/16-12	36	31
1000H12-16	3/4	19	19	12	1.5/16-12	41	32
1000H16-16	1	25,4	25	16	1.5/16-12	41	36
1000H20-20	1.1/4	31,8	32	20	1.5/8-12	50	50
1000H24-24	1.1/2	38,1	38	24	1.7/8-12	55	49
1000H32-32	2	50,8	51	32	2.1/2-12	70	68

Vysvetlivka/ Explanatory/Легенда: Len na objednávku. To order only. Само по заявлению.

CES

- Metric Male 24° Seat
Heavy




Interlock

Označenie Code Код	φ hadice I.D. - hose φ маркуча	DN	dash size	závit thread резба	T	E	C
	in	mm					
0450H12-36	3/4	19	19	12	M36-2	36	36
0450H16-42	1	25,4	25	16	M42-2	46	39
0450H20-52	1.1/4	31,8	32	20	M52-2	55	42

DKOS

- Metric Female 24° Seat
Heavy




Interlock

Označenie Code Код	φ hadice I.D. - hose φ маркуча	DN	dash size	závit thread резба	T	E	C
	in	mm					
0084H12-36	3/4	19	19	12	M36-2	46	37
0084H16-36	1	25,4	25	16	M36-2	46	38
0084H16-42	1	25,4	25	16	M42-2	50	41
0084H20-52	1.1/4	31,8	32	20	M52-2	60	41
0084H24-52	1.1/2	38,1	38	24	M52-2	60	42

DKOS 90°

– 90° Metric Swept Elbow
24° Seat Heavy




Interlock

Označenie Code Код	φ hadice I.D. - hose φ маркуча	DN	dash size	závit thread резба	T	E	H	C
	in	mm						
0184H12-36	3/4	19	19	12	M36-2	46	58	55
0184H16-36	1	25,4	25	16	M36-2	46	68	74
0184H16-42	1	25,4	25	16	M42-2	50	69	74
0184H20-52	1.1/4	31,8	32	20	M52-2	60	81	94

DKOS 45°

- 45° Metric Swept Elbow
- 24° Seat Heavy




Interlock

Označenie Code Код	φ hadice I.D. - hose φ маркуча	DN	dash size	závit thread резба	E	H	C
	in	mm		T			
0284H12-36	3/4	19	19	12	M36-2	46	31
0284H16-36	1	25,4	25	16	M36-2	46	34
0284H16-42	1	25,4	25	16	M42-2	50	33
0284H20-52	1.1/4	31,8	32	20	M52-2	60	81

ORFS

– ORFS Female




Interlock

Označenie Code Код	φ hadice I.D. - hose φ маркуча	DN	dash size	závit thread резба	E	C
	in	mm		T		
S050H12-14	3/4	19	19	12	1.3/16-12	36
S050H16-15	1	25,4	25	16	1.7/16-12	41
S050H20-21	1.1/4	31,8	32	20	1.11/16-12	50
S050H24-32	1.1/2	38,1	38	24	2-12	60

Vysvetlivka/ Explanatory/Легенда: Len na objednávku. To order only. Само по заявлению.

ORFS

- ORFS Female Back Hexagon




Interlock

Označenie Code Код	φ hadice I.D.- hose φ маркуча	DN	dash size	závit thread резба	T	E	E1	C
	in	mm						
S05TH12-14	3/4	19	19	12	1.3/16-12	36	30	39
S05TH16-15	1	25,4	25	16	1.7/16-12	41	36	47
S05TH20-21	1.1/4	31,8	32	20	1.11/16-12	50	46	50
S05TH24-32	1.1/2	38,1	38	24	2-12	60	50	53

Vysvetlivka/ Explanatory/Легенда: Len na objednávku. To order only. Само по заявлению.

ORFS 90°

– ORFS 90° Swept Elbow




Interlock

Označenie Code Код	φ hadice I.D.- hose φ маркуча	DN	dash size	závit thread резба	E	H	C
	in	mm		T			
S150H12-14	3/4	19	19	12	1.3/16-12	36	49
S150H16-15	1	25,4	25	16	1.7/16-12	41	66
S150H20-21	1.1/4	31,8	32	20	1.11/16-12	50	80
S150H24-32	1.1/2	38,1	38	24	2-12	60	102

Vysvetlivka/ Explanatory/Легенда: Len na objednávku. To order only. Само по заявлению.

ORFS 45°

– ORFS 45° Swept Elbow




Interlock

Označenie Code Код	φ hadice I.D.- hose φ маркуча	DN	dash size	závit thread резба	E	H	C	
	in	mm		T				
S250H12-14	3/4	19	19	12	1.3/16-12	36	24	81
S250H16-15	1	25,4	25	16	1.7/16-12	41	33	107
S250H20-21	1.1/4	31,8	32	20	1.11/16-12	50	34	99
S250H24-32	1.1/2	38,1	38	24	2-12	60	50	165

Vysvetlivka/ Explanatory/Легенда: Len na objednávku. To order only. Само по заявлению.

SFL

- Straight SAE Flange 3000 PSI




Interlock

Označenie Code Код	φ hadice I.D. - hose φ маркуча	DN	dash size	T	mm	C
	in	mm				
1250H12-12	3/4	19	19	12	3/4	38,10
1250H12-16	3/4	19	19	12	1	44,50
1250H16-16	1	25,4	25	16	1	44,50
1250H16-20	1	25,4	25	16	1.1/4	50,80
1250H20-20	1.1/4	31,8	32	20	1.1/4	50,80
1250H20-24	1.1/4	31,8	32	20	1.1/2	60,30
1250H24-24	1.1/2	38,1	38	24	1.1/2	60,30
1250H24-32	1.1/2	38,1	38	24	2	71,40
1250H32-32	2	50,8	51	32	2	71,40

SFL 90°

– 90° SAE Flange 3000 PSI




Interlock

Označenie Code Код	φ hadice I.D. - hose φ маркуча	DN	dash size	T	mm	H	C
	in	mm					
1050H12-12	3/4	19	19	12	3/4	38.1	52
1050H12-16	3/4	19	19	12	1	44.5	56
1050H16-16	1	25,4	25	16	1	44.5	65
1050H16-20	1	25,4	25	16	1.1/4	50.8	75
1050H20-20	1.1/4	31,8	32	20	1.1/4	50.8	76
1050H20-24	1.1/4	31,8	32	20	1.1/2	60.3	79
1050H24-24	1.1/2	38,1	38	24	1.1/2	60.3	95
1050H24-32	1.1/2	38,1	38	24	2	71.4	101
1050H32-32	2	50,8	51	32	2	71.4	121

SFL 45°

– 45° SAE Flange 3000 PSI




Interlock

Označenie Code Код	φ hadice I.D. - hose φ маркуча	DN	dash size	T	mm	H	C
	in	mm					
1150H12-12	3/4	19	19	12	3/4	38.1	25
1150H12-16	3/4	19	19	12	1	44.5	28
1150H16-16	1	25,4	25	16	1	44.5	35
1150H16-20	1	25,4	25	16	1.1/4	50.8	37
1150H20-20	1.1/4	31,8	32	20	1.1/4	50.8	37
1150H20-24	1.1/4	31,8	32	20	1.1/2	60.3	40
1150H24-24	1.1/2	38,1	38	24	1.1/2	60.3	44
1150H24-32	1.1/2	38,1	38	24	2	71.4	47
1150H32-32	2	50,8	51	32	2	71.4	56

SFS

- Straight SAE Flange 6000 PSI




Interlock

Označenie Code Код	in	mm	φ hadice I.D. - hose φ маркуча	DN	dash size	T	E	C
1300H12-12	3/4	19	19	12		3/4	41.3	51
1300H12-16	3/4	19	19	12		1	47.6	57
1300H16-12	1	25,4	25	16		3/4	41.3	52
1300H16-16	1	25,4	25	16		1	47.6	59
1300H16-20	1	25,4	25	16		1.1/4	54	66
1300H20-16	1.1/4	31,8	32	20		1	47.6	60
1300H20-20	1.1/4	31,8	32	20		1.1/4	54	67
1300H20-24	1.1/4	31,8	32	20		1.1/2	63.5	73
1300H24-20	1.1/2	38,1	38	24		1.1/4	54	75
1300H24-24	1.1/2	38,1	38	24		1.1/2	63.5	74
1300H24-32	1.1/2	38,1	38	24		2	79.4	82
1300H32-32	2	50,8	51	32		2	79.4	84

SFS 90°

– 90° SAE Flange 6000 PSI




Interlock

Označenie Code Код	φ hadice I.D. - hose φ маркуча	DN	dash size	T	mm	H	C
	in	mm					
1100H12-12	3/4	19	19	12	3/4	41.3	57
1100H12-16	3/4	19	19	12	1	47.6	63
1100H16-12	1	25,4	25	16	3/4	41.3	66
1100H16-16	1	25,4	25	16	1	47.6	72
1100H16-20	1	25,4	25	16	1.1/4	54	79,5
1100H20-16	1.1/4	31,8	32	20	1	47.6	75
1100H20-20	1.1/4	31,8	32	20	1.1/4	54	84
1100H20-24	1.1/4	31,8	32	20	1.1/2	63.5	90
1100H24-24	1.1/2	38,1	38	24	1.1/2	63.5	101
1100H24-32	1.1/2	38,1	38	24	2	79.4	113
1100H32-32	2	50,8	51	32	2	79.4	138
							124

SFS 45°

– 45° SAE Flange 6000 PSI




Interlock

Označenie Code Код	φ hadice I.D. - hose φ маркуча	DN	dash size	T	mm	H	C
	in	mm					
1200H12-12	3/4	19	19	12	3/4	41.3	30
1200H12-16	3/4	19	19	12	1	47.6	34
1200H16-12	1	25,4	25	16	3/4	41.3	33
1200H16-16	1	25,4	25	16	1	47.6	34
1200H16-20	1	25,4	25	16	1.1/4	54	40
1200H20-16	1.1/4	31,8	32	20	1	47.6	42
1200H20-20	1.1/4	31,8	32	20	1.1/4	54	43
1200H20-24	1.1/4	31,8	32	20	1.1/2	63.5	48
1200H24-24	1.1/2	38,1	38	24	1.1/2	63.5	50
1200H24-32	1.1/2	38,1	38	24	2	79.4	60
1200H32-32	2	50,8	51	32	2	79.4	67
							200

SFC SUPERCAT

- Straight 'CAT' Flange




Interlock

Označenie Code Код	φ hadice I.D. - hose φ маркуча	DN	dash size	T	mm	C
	in	mm		T		
130SH12-12	3/4	19	19	12	3/4	41.3
130SH12-16	3/4	19	19	12	1	47.6
130SH16-16	1	25,4	25	16	1	47.6
130SH16-20	1	25,4	25	16	1.1/4	54
130SH20-20	1.1/4	31,8	32	20	1.1/4	54
130SH24-24	1.1/2	38,1	38	24	1.1/2	78

Vysvetlivka/ Explanatory/Легенда: Len na objednávku. To order only. Само по заявлению.

SFC 90° SUPERCAT

– 90° 'CAT' Flange



Interlock

Označenie Code Код	φ hadice I.D. - hose φ маркуча	DN	dash size	T	mm	H	C
	in	mm					
110SH12-12	3/4	19	19	12	3/4	41.3	62
110SH16-16	1	25,4	25	16	1	47.6	79
110SH16-20	1	25,4	25	16	1.1/4	54	80
110SH20-20	1.1/4	31,8	32	20	1.1/4	54	89
110SH24-24	1,1/2	38,1	38	24	1.1/2	63,5	100
							115


Vysvetlivka/ Explanatory/Легенда: Len na objednávku. To order only. Само по заявлению.

SFC 45° SUPERCAT

- 45° CAT Flange

-

Interlock



Označenie Code Код	φ hadice I.D.- hose φ маркуча	DN	dash size	T	mm	H	C
	in	mm					
120SH12-12	3/4	19	19	12	3/4	41.3	30
120SH16-16	1	25,4	25	16	1	47.6	38
120SH20-20	1.1/4	31,8	32	20	1.1/4	54	47
120SH24-24	1,1/2	38,1	38	24	1.1/2	63,5	52

Vysvetlivka/ Explanatory/Легенда: Len na objednávku. To order only. Само по заявлению.