



























Hydraulické šrobenie BSPP 60°












Hydraulic screw
joints BSPP 60°

ТРЪБНИ СВЪРЗВАЩИ
ЕЛЕМЕНТИ BSPP 60°

Obsah Description / Съдържание	Schéma Scheme/Схема	Kód Reference / Код	Strana Page / Страница
Redukcia BSPP Reduced male nipple straight coupling - BSP parallel thread Щуцер редуциращ BSPP		34.67.	5
Priama spojka BSPP Male nipple straight coupling BSP parallel thread Щуцер прав BSPP		34.69.	6
Maticová spojka Adaptors - female/female with rotary nut Съединител прав		34.11.	7
Maticová spojka redukovaná Reduced adaptors - female/female with rotary nut Съединител редуциращ		34.12.	8
Redukcia BSPP Stud adaptors BSPP coned 60 ° Редукция BSPP		34.73.	9
Adaptér HBSPP Straight adapter male BSP coned 60° female cap surface 60° Адаптор HBSPP		600.01.	10
Adaptér redukovaný HBSPP Reduced straight adapter male BSPP coned 60° female cap surface 60° Адаптор редуциращ HBSPP			


Obsah Description / Съдържание	Schéma Scheme/Схема	Kód Reference / Код	Strana Page / Страница
T-spojka s bočnou maticou BSPP Derivating „T“ with rotary nut Трипътник ориентируем BSPP		60.59.	17
T-spojka so spodnou maticou BSPP „T“ of line with rotary nut Трипътник въртящ BSPP		60.55.	18
Zátka BSPP Male plug Тапа BSPP		34.75.	19
Zátka maticová BSPP Female plug Тапа, гайка BSPP		34.76.	20
Adaptér BSPP Adaptors BSPP Адаптор BSPP		34.00.	21
Adaptér redukovaný BSPT Reduced adaptors BSPP Адаптор редуциращ BSPT		34.01.	22
Adaptér BSPT Adaptors BSPT Адаптор BSPT		34.02.	23
Adaptér redukovaný NPT Reduced adaptors NPT Адаптор редуциращ NPT		34.03	24
Adaptér NPT Adaptors NPT Адаптор NPT		34.04.	25
Spojka redukovaná NPT Reduced male nipple - NPT/NPT thread Щуцер редуциращ NPT		34.57.	26
Spojka NPT Male nipple stud coupling NPT/NPT thread Щуцер NPT		34.58.	27
Spojka redukovaná BSPT Reduced male nipple - straight coupling BSPT tapered thread Щуцер редуциращ BSPT		34.59.	28

Obsah Description / Съдържание	Schéma Scheme/Схема	Kód Reference / Код	Strana Page / Страница
Spojka BSPT Male nipple - stud coupling BSPT thread Щуцер BSPT		34.60.	29
Spojka redukovaná BSPP/NPT Reduced male nipple - straight coupling BSP parallel thread /NPT Щуцер редуциращ BSPP/NPT		34.64.	30
Spojka BSPP/NPT Male nipple stud coupling BSP parallel/NPT Щуцер BSPP/NPT		34.65.	31
Spojka redukovaná BSPP/BSPT Reduced male nipple straight coupling BSP parallel BSP tapered thread Щуцер редуциращ BSPP/BSPT		34.66.	32
Priama spojka BSPP/BSPT Male nipple stud coupling - BSP parallel tapered thread Щуцер BSPP/BSPT		34.68.	33
L-spojka BSPP Elbow male coupling 45° Коляно BSPP		60.01.	34
Spojka 45° BSPP-BSPT Elbow male coupling 45° Коляно 45° BSPP-BSPT		60.03.	35
L-spojka NPT elbow female coupling 90° NPT Коляно NPT		60.14.	36
L-spojka BSPP Elbow female coupling 90° BSPP Коляно BSPP		60.15.	37
Spojka 45° NPT Elbow female coupling 45° NPT Коляно 45° NPT		60.16.	38
L-spojka redukovaná BSPT Reduced elbow male coupling 90° BSPT Коляно редуциращо BSPT		60.19.	39
L-spojka BSPT Male coupling 90° BSPT Коляно BSPT		60.20.	40

Obsah Description / Съдържание	Schéma Scheme/Схема	Kód Reference / Код	Strana Page / Страница
L-spojka redukovaná NPT Reduced elbow male coupling 90° NPT Коляно редуциращо NPT		60.21.	41
L-spojka NPT Male coupling 90° NPT Коляно NPT		60.22.	42
L-spojka redukovaná NPT Reduced elbow male female 90° NPT Коляно редуциращо NPT		60.25.	43
L-spojka NPT Elbow male female 90° NPT Коляно NPT		60.26.	44
Spojka 45° NPT Elbow female coupling 45° NPT Коляно 45° NPT		60.27.	45
T-spojka BSPP Equal tees Тройник BSPP		60.51.	46
T-spojka NPT Female „T“ NPT Тройник NPT		60.64.	47
T-spojka BSPP Female „T“ BSPP Тройник BSPP		60.65.	48
T-spojka NPT Derivating „T“ male/female NPT Тройник NPT		60.67.	49
T-spojka NPT Derivating „T“ male/female NPT Тройник NPT		60.68.	50
L - spojka s hrdlom Elbow coupling 90° BSPP/BSPT Коляно BSPP/BSPT		TN 155	51

Redukcia BSPP

- reduced male nipple
straight coupling - BSP
parallel thread
- Щуцер редуцирацц BSPP




Označenie Code Означеніе	φ R-BSPP	φ R2-BSPP	φ d	φ d2	B	A	A1	CH	PN
34.67.04.02	1/4"	1/8"	6	4	28,5	11	8	19	350
34.67.06.02	3/8"	1/4"	8	6	33,5	12	11	22	350
34.67.08.04	1/2"	1/4"	11	6	36,5	14	11	27	200
34.67.08.06	1/2"	3/8"	11	8	38	14	12	27	200
34.67.10.08	5/8"	1/2"	14	11	42	16	14	30	200
34.67.12.06	3/4"	3/8"	17	8	41	16	12	32	200
34.67.12.08	3/4"	1/2"	17	11	43,5	16	14	32	200
34.67.12.10	3/4"	5/8"	17	14	45,5	16	16	32	200
34.67.16.08	1"	1/2"	23	11	47,5	19	14	41	120
34.67.04.02	1"	3/4"	23	17	49,5	19	16	41	120
34.67.20.12	1 1/4"	3/4"	30	17	53,5	20	16	50	105
34.67.20.16	1 1/4"	1"	30	23	56,5	20	19	50	105
34.67.24.12	1 1/2"	3/4"	35	17	55,5	22	16	55	105
34.67.24.16	1 1/2"	1"	35	23	58,5	22	19	55	105
34.67.24.20	1 1/2"	1 1/4"	35	30	59,5	22	20	55	105
34.67.32.20	2"	1 1/4"	46	30	63	25	20	70	70
34.67.32.24	2"	1 1/2"	46	35	65	25	22	70	70

Vysvetlivka/Легенда:

Priama spojka BSPP

- male nipple straight coupling BSP parallel thread
- Щуцер прав BSPP




Označenie Code Означеніе	φ R-BSPP	φ d	B	A	CH	PN
34.69.02.02	1/8"	4	26,5	9	14	350
34.69.04.04	1/4"	6	32	11	19	350
34.69.06.06	3/8"	8	35	12	22	350
34.69.08.08	1/2"	11	40,5	14	27	200
34.69.10.10	3/4"	14	44,5	16	30	200
34.69.12.12	3/4"	17	45,5	16	32	200
34.69.16.16	1"	23	52,5	19	41	120
34.69.20.20	1 1/4"	30	57,5	20	50	105
34.69.24.24	1 1/2"	35	61,5	22	55	105
34.69.32.32	2"	46	68,5	25	70	70

Уясветлівка/Легенда:

Maticová spojka

- adaptors - female/female with roraty nut
- Съединител прав



Označenie Code Означеніе	φ R-BSPP	B	CH	CH1	PN
34.11.04.04	1/4	31	19	19	350
34.11.06.06	3/8	35	22	22	350
34.11.08.08	1/2	39,5	27	27	200
34.11.10.10	5/8	42,5	28*	30	200
34.11.12.12	3/4	43,5	32	32	200
34.11.16.16	1"	47,5	38**	41	120
34.11.20.20	1" 1/4	56,5	50	50	105


* AISI 316 L CH=30

** AISI 316 L CH=41

Уясветлівка/Легенда:

Maticová spojka redukovaná

- reduced adaptors - female/female with rotary nut
- Съединител редуциращ




Označenie Code Означение	φ R-BSPP	φ R2-BSPP	B	CH	CH1	CH2	PN
34.12.06.04	3/8	1/4	33	22	22	19	350
34.12.08.04	1/2	1/4	35,5	27	27	19	200
34.12.08.06	1/2	3/8	37,5	27	27	22	200
34.12.12.08	3/4	1/2	42	32	32	27	200

Vysvetlivka/Легенда:

Redukcia BSPP

- stud adaptors BSPP
coned 60 °
- Редукция BSPP




Označenie Code Означеніе	ϕ R-BSPP	ϕ R2-BSPP	ϕ d	B	A	CH	PN	Typ Type
34.73.06.04	3/8	1/4	8	37	12	22	350	B
34.73.08.04	1/2	1/4	11	38	14	27	200	A
34.73.08.06	1/2	3/8	11	45	14	30	200	B
34.73.12.06	3/4	3/8	17	41,5	16	32	200	A
34.73.12.08	3/4	1/2	17	47	16	32	200	B
34.73.16.04	1"	1/4	23	43	19	41	120	A
34.73.16.06	1"	3/8	23	44,5	19	41	120	A
34.73.16.08	1"	1/2	23	50	19	41	120	A
34.73.16.12	1"	3/4	23	52	19	41	120	B

Vysvetlivka/Легенда:

Adaptér HBSPP

- straight adapter male BSP
coned 60° female cap
surface 60°
- Адаптор HBSPP




Označenie Code Означеніе	φ R-BSP	φ R2	B	CH1	CH	PN
600.01.04.04	1/4	1/4	36	19	19	350
600.01.06.06	3/8	3/8	41	22	22	350
600.01.08.08	1/2	1/2	46	27	27	200
600.01.10.10	5/8	5/8	50	28*	30	200
600.01.12.12	3/4	3/4	52	32	32	200
600.01.16.16	1"	1"	60	38/41	41	120
600.01.20.20	1" 1/4	1" 1/4	69	50	50	105

* AISI 316 L CH=30

Увсвѣтлївка/Легенда:

Adaptér reduko- vaný HBSPP

- reduced straight adapter male BSPP coned 60° female cap surface 60°
- Адаптор редуцирац HBSPP




Označenie Code Означеніе	ϕ R2-BSPP	ϕ R-BSPP	B	CH1	CH	PN
600.02.04.06	1/4	3/8	39,5	22	22	350
600.02.06.04	3/8	1/4	38	19	22	350
600.02.06.08	3/8	1/2	43	27	27	200
600.02.08.04	1/2	1/4	41	19	27	200
600.02.08.06	1/2	3/8	44	22	27	200
600.02.08.12	1/2	3/4	49	32	32	200
600.02.12.08	3/4	1/2	49	27	32	200
600.02.16.12	1"	3/4	56	32	41	120

Vysvetlivka/Легенда:

L-spojka maticová BSPP

- elbow coupling 90°
with rotary nut
- Колено BSPP




Označenie Code Означеніе	φ R-BSPP	B	CH	CH1	PN
60.10.04.04	1/4	27,2	14	19	350
60.10.06.06	3/8	32,3	19	22	350
60.10.08.08	1/2	36,4	22	27	200
60.10.12.12	3/4	42,5	27	32	200
60.10.16.16	1"	53	33	38*	120
60.10.20.20	1" 1/4	58	41	50	105
60.10.24.24	1" 1/2	68,5	48	55	105

* AISI 316 L CH=41

Vysvetlivka/Легенда:

L-spojka maticová BSPP

- elbow coupling 90°
with rotary nut
- Коляно ориентируемо
BSPP




Označenie Code Означеніе	φ R-BSPP	B	B2	CH	CH1	PN
60.09.04.04	1/4	27	26	14	19	350
60.09.06.06	3/8	29	31	19	22	350
60.09.08.08	1/2	35	36	22	27	200
60.09.12.12	3/4	43	40	27	32	200
60.09.16.16	1"	50	53	33	38*	120
60.09.20.20	1" 1/4	55	57	41	50	105
60.09.24.24	1" 1/2	63	65,5	48	60	105

* AISI 316 L CH=41

Vysvetlivka/Легенда:

TN 166

- L - spojka
- elbow coupling 90°
- Коляно




Označenie Code Означеніе	φ R-BSPP	B	C	φ d	CH	PN
TN 166 -1/4	1/4"	24,5	11,5	6	14	350
TN 166 -3/8	3/8"	29	12,5	9	17	350
TN 166 -1/2	1/2"	30,5	13	11	19	200
TN 166 -3/4	3/4"	37	14	16	27	200
TN 166 -1	1"	43,5	17	21	36	120
TN 166 -1 1/4	1 1/4"	50	19	26	41	105
TN 166 -1 1/2	1 1/2"	58,5	23	32	50	105

Vysvetlivka/Легенда:

TN 164

- T - spojka
- equal tees
- Трипътник




Označenie Code Означение	φ R-BSPP	B	C	φ d	CH	PN
TN 164 -1/4	1/4"	24,5	11,5	6	14	350
TN 164 -3/8	3/8"	29	12,5	9	17	350
TN 164 -1/2	1/2"	30,5	13	11	19	200
TN 164 -3/4	3/4"	37	14	16	27	200
TN 164 -1	1"	43,5	17	21	36	120
TN 164 -1 1/4	1 1/4"	50	19	26	41	105
TN 164 -1 1/2	1 1/2"	58,5	23	32	50	105

Vysvetlivka/Легенда:

T-spojka s maticou BSPP

- equal tees with rotary nut
- Трiпътник BSPP




Označenie Code Означенiе	φ R-BSPP	B	CH	CH1	PN
60.60.04.04	1/4	27,2	14	19	350
60.60.06.06	3/8	32,3	19	22	350
60.60.08.08	1/2	36,4	22	27	200
60.60.12.12	3/4	42,5	27	32	200
60.60.16.16	1"	53	33	38	120
60.60.20.20	1" 1/4	58	41	50	105
60.60.24.24	1" 1/2	68,5	48	55	105

Условишка/Легенда:

T-spojka s bočnou maticou BSPP

- derivating „T“ with rotary nut
- Трипътник ориентируем BSPP




Označenie Code Означение	φ R-BSPP	B	B1	B2	CH	CH1	PN
60.59.04.04	1/4	27	53	26	14	19	350
60.59.06.06	3/8	29	60	31	19	22	350
60.59.08.08	1/2	35	71	36	22	27	200
60.59.12.12	3/4	43	83	40	27	32	200
60.59.16.16	1"	50	103	53	33	38	120
60.59.20.20	1" 1/4	55	113	58	41	50	105
60.59.24.24	1" 1/2	63	131,5	68,5	48	55	105

Vysvetlivka/Легенда:

T-spojka so spodnou maticou BSPP

- „T“ of line with rotary nut
- Трипътник въртящ BSPP




Označenie Code Означеніе	φ R-BSPP	B	B1	B2	CH	CH1	PN
60.55.04.04	1/4	27	54	26	14	19	350
60.55.06.06	3/8	29	58	31	19	22	350
60.55.08.08	1/2	35	70	36	22	27	200
60.55.12.12	3/4	43	86	40	27	32	200
60.55.16.16	1"	50	100	53	33	38	120
60.55.20.20	1" 1/4	55	110	58	41	50	105
60.55.24.24	1" 1/2	63	126	68,5	48	55	105

Vysvetlivka/Легенда:

Zátka BSPP

- male plug
- Tana BSPP




Označenie Code Означение	φ R-BSPP	B	A	CH	PN
34.75.00.02	1/8	14,5	9	14	350
34.75.00.04	1/4	19	11	19	350
34.75.00.06	3/8	20,5	12	22	350
34.75.00.08	1/2	24	14	27	200
34.75.00.10	5/8	26	16	30	200
34.75.00.12	3/4	26,5	16	32	200
34.75.00.16	1"	30,5	19	41	120
34.75.00.20	1" 1/4	39	20	50	105
34.75.00.24	1" 1/2	43	22	55	105
34.75.00.32	2"	48,5	25	70	70

Vysvetlivka/Легенда:

Zátka maticová BSPP

- female plug
- Гапа, гайка BSPP



Označenie Code Означеніе	φ R-BSPP	B	CH	PN
34.76.00.04	1/4	20,7	19	350
34.76.00.06	3/8	24,3	22	350
34.76.00.08	1/2	26,4	27	200
34.76.00.10	5/8	28,5	28*	200
34.76.00.12	3/4	30,5	32	200
34.76.00.16	1"	34,5	38**	120
34.76.00.20	1" 1/4	42,5	50	105
34.76.00.24	1" 1/2	45	55	105


* AISI 316 L CH=30

** AISI 316 L CH=41

Уыветлівка/Легенда:

Adaptér BSPP

- adaptors BSPP
- Адаптор BSPP




Označenie Code Означеніе	φ R-BSPP female	A	CH	PN
34.00.02.02	1/8	18	17	350
34.00.04.04	1/4	22	19	350
34.00.06.06	3/8	27	24	315
34.00.08.08	1/2	31	30	210
34.00.12.12	3/4	35	36	210
34.00.16.16	1"	41	41	120
34.00.20.20	1" 1/4	45	55	105
34.00.24.24	1" 1/2	45	60	105

Vysvetlivka/Легенда:

Adaptér redukovaný BSPT

- reduced adaptors BSPP
- Адаптор редуцирац
BSPT




Označenie Code Означеніе	φ R-BSPT female	φ R2-BSPT female	A	CH	PN
34.01.04.02	1/4	1/8	24,2	19	420
34.01.06.02	3/8	1/8	24,2	22	420
34.01.06.04	3/8	1/4	28,7	22	420
34.01.08.04	1/2	1/4	34,8	30	350
34.01.08.06	1/2	3/8	34,8	30	350
34.01.12.04	3/4	1/4	35,6	36	280
34.01.12.08	3/4	1/2	38,9	36	280

Vysvetlivka/Легенда:

Adaptér BSPT

- adaptors BSPT
- Адаптор BSPT




Označenie Code Означеніе	φ R-BSPT female	A	CH	PN
34.02.02.02	1/8	19	16*	420
34.02.04.04	1/4	28,7	19	420
34.02.06.06	3/8	28,7	22	420
34.02.08.08	1/2	38,1	30	350
34.02.12.12	3/4	38,9	36	280
34.02.16.16	1"	48	41	210
34.02.20.20	1" 1/4	49	50	175
34.02.24.24	1" 1/2	49	60	140

* AISI 316 L CH=17

Vysvetlivka/Легенда:

Adaptér redukovaný NPT

- reduced adaptors NPT
- Адаптор редуциращ NPT





Označenie Code Означеніе	φ R-NPT female	φ R2-NPT female	A	CH	PN
34.03.04.02	1/4	1/8	24,2	19	420
34.03.06.02	3/8	1/8	24,2	22	420
34.03.06.04	3/8	1/4	28,7	22	420
34.03.08.04	1/2	1/4	34,8	30	350
34.03.08.06	1/2	3/8	34,8	30	350
34.03.12.04	3/4	1/4	35,6	36	280
34.03.12.08	3/4	1/2	38,9	36	280

Vysvetlivka/Легенда:

Adaptér NPT

- adaptors NPT
- Адаптор NPT




Označenie Code Означеніе	φ R-NPT female	A	CH	PN
34.04.02.02	1/8	19	16*	420
34.04.04.04	1/4	28,7	19	420
34.04.06.06	3/8	28,7	22	420
34.04.08.08	1/2	38,1	30	350
34.04.12.12	3/4	38,9	36	280
34.04.16.16	1"	48	41	210
34.04.20.20	1" 1/4	49	50	175
34.04.24.24	1" 1/2	49	60	140

* AISI 316 L CH=17

У昱vetlivka/Легенда:

Spojka redukovaná NPT

- reduced male nipple - NPT/NPT thread
- Щуцер редуциращ NPT




Označenie Code Означеніе	φ R-NPT	φ R2-NPT	φ d	φ d2	l	l2	B	CH	PN
34.57.04.02	1/4	1/8	7	4,5	14,2	9,7	32,3	16*	420
34.57.06.02	3/8	1/8	10	4,5	14,2	9,7	32,3	19	420
34.57.06.04	3/8	1/4	10	7	14,2	14,2	36,8	19	420
34.57.08.04	1/2	1/4	13,5	7	19	14,2	43,2	22	420
34.57.08.06	1/2	3/8	13,5	10	19	14,2	43,2	22	420
34.57.12.04	3/4	1/4	18	7	19	14,2	45	30	420
34.57.12.08	3/4	1/2	18	13,5	19	19	49,8	30	420
34.57.16.12	1"	3/4	23	18	23,9	19	54,5	36	420
34.57.20.16	1" 1/4	1"	31	23	24,6	23,9	62,3	46	350

Vysvetlivka/Легенда:

Spojka NPT

- male nipple stud coupling
NPT/NPT thread
- Щуцер NPT




Označenie Code Означеніе	ϕ R-NPT	ϕ d	B	I	CH	PN
34.58.02.02	1/8	4,5	26,9	9,7	11*	420
34.58.04.04	1/4	7	36,8	14,2	16**	420
34.58.06.06	3/8	10	36,8	14,2	19	420
34.58.08.08	1/2	13,5	48	19	22	420
34.58.12.12	3/4	18	49,8	19	30	420
34.58.16.16	1"	23	59,4	23,9	36	420
34.58.20.20	1" 1/4	31	63	24,6	46	350
34.58.24.24	1" 1/2	38	66,3	25,4	50	210
34.58.32.32	2	49	71,6	26,2	65	210

* AISI 316 L CH=12 ** AISI 316 L CH=17

Увсвѣтлївка/Легенда:

Spojka redukovaná BSPT

- reduced male nipple - straight coupling BSPT tapered thread
- Щуцер редуцирацц BSPT




Označenie Code Означеніе	ϕ R-BSPT	ϕ R2-BSPT	ϕ d	ϕ d2	l	l2	B	CH	PN
34.59.04.02	1/4	1/8	7	4,5	13	10	32,3	14	420
34.59.06.04	3/8	1/4	10	7	13	13	36,8	17	420
34.59.08.04	1/2	1/4	13,5	7	16	13	43,2	22	420
34.59.08.06	1/2	3/8	13,5	10	16	13	43,2	22	420
34.59.12.08	3/4	1/2	18	13,5	18	16	49,8	27	420
34.59.16.12	1"	3/4	23	18	20	18	54,5	36	420

Vysvetlivka/Легенда:

Spojka BSPT

- male nipple - stud coupling BSPT thread
- Щуцер BSPT




Označenie Code Означеніе	ϕ R-BSPT	ϕ d	B	l	CH	PN
34.60.02.02	1/8	4,5	26,9	10	11*	420
34.60.04.04	1/4	7	36,8	13	14	420
34.60.06.06	3/8	10	36,8	13	17	420
34.60.08.08	1/2	13,5	48	16	22	420
34.60.12.12	3/4	18	49,8	18	27	420

* AISI 316 L CH=12

Vysvetlivka/Легенда:

Spojka reduko- vaná BSPP/NPT

- reduced male nipple -
straight coupling BSP
parallel thread /NPT
- Щуцер редуциращ
BSPP/NPT




Označenie Code Означеніе	φ R-BSPP	φ R2-NPT	φ d	φ d2	B	A	I	CH	PN
34.64.02.04	1/8	1/4	4	4	32,2	10	14,2	17	350
34.64.04.02	1/4	1/8	6	4	28,7	11	9,7	17	350
34.64.04.06	1/4	3/8	6	6	34,7	11	14,2	19	350
34.64.06.04	3/8	1/4	8	6	36,7	13	14,2	19	350
34.64.06.08	3/8	1/2	8	8	42	13	19	24	350
34.64.08.06	1/2	3/8	11	8	38,2	14	14,2	24	200
34.64.08.12	1/2	3/4	11	11	43	14	19	32	200
34.64.12.08	3/4	1/2	17	11	46	17	19	32	200
34.64.12.16	3/4	1"	17	17	52,9	17	23,9	41	200
34.64.16.12	1"	3/4	23	17	51	20	19	41	120

Vysvetlivka/Легенда:

Spojka BSPP/NPT

- male nipple stud coupling
BSP parallel/NPT
- Щуцер BSPP/NPT




Označenie Code Означеніе	ϕ R-BSPP	ϕ R2-NPT	ϕ d	B	A	I	CH	PN
34.65.02.02	1/8	1/8	4	25,7	10	9,7	12	350
34.65.04.04	1/4	1/4	6	33,2	11	14,2	17	350
34.65.06.06	3/8	3/8	8	36,7	13	14,2	19	350
34.65.08.08	1/2	1/2	11	43	14	19	24	200
34.35.12.12	3/4	3/4	17	46	17	19	32	200
34.65.16.16	1"	1"	23	55,9	20	23,9	41	120

Усуветлівка/Легенда:

Spojka reduko- vaná BSPP/BSPT

- reduced male nipple
straight coupling BSP
parallel BSP tapered thread
- Щуцер редуцирац
BSPP/BSPT




Označenie Code Означеніе	φ R-BSPP	φ R2-BSPT	φ d	φ d2	B	A	I	CH	PN
34.66.02.04	1/8	1/4	4	4	31	10	13	17	350
34.66.04.02	1/4	1/8	6	4	29	11	10	17	350
34.66.04.06	1/4	3/8	6	6	33,5	11	13	19	350
34.66.06.04	3/8	1/4	8	6	35,5	13	13	19	350
34.66.06.08	3/8	1/2	8	8	39	13	16	24	200
34.66.08.06	1/2	3/8	11	8	37	14	13	24	200
34.66.10.08	5/8	1/2	14	11	41	15	16	27	200
34.66.10.12	5/8	3/4	14	14	43	15	18	32	200
34.66.12.08	3/4	1/2	17	11	43	17	16	32	200
34.66.12.16	3/4	1"	17	17	49	17	20	41	120
34.66.16.12	1"	3/4	23	17	50	20	18	41	120

Vysvetlivka/Легенда:

Priama spojka BSP/BSPT

- male nipple stud coupling
- BSP parallel tapered thread
- Щуцер BSP/BSPT




Označenie Code Означеніе	φ R-BSP	φ R2-BSPT	φ d	B	A	A1	CH	PN
34.68.02.02	1/8"	1/8"	4	26	10	10	12	350
34.68.04.04	1/4"	1/4"	6	32	11	13	17	350
34.68.06.06	3/8"	3/8"	8	35,5	13	13	19	350
34.68.08.08	1/2"	1/2"	11	40	14	16	24	200
34.68.12.12	3/4"	3/4"	17	45	17	18	32	200
34.68.16.16	1"	1"	23	52	20	20	41	120
34.68.20.20	1 1/4"	1 1/4"	30	55	21	21	46	105
34.68.24.24	1 1/2"	1 1/2"	35	58	22	22	55	105
34.68.32.32	2"	2"	46	66	25	25	65	70

Vysvetlivka/Легенда:

L-spojka BSPP

- elbow male coupling 45°
- Коляно BSPP




Označenie Code Означеніе	φ R-BSPP	B	CH	PN
60.01.04.04	1/4	27	14	350
60.01.06.06	3/8	29	19	350
60.01.08.08	1/2	35	22	200
60.01.12.12	3/4	43	27	200
60.01.16.16	1"	50	33	120
60.01.20.20	1" 1/4	55	41	105
60.01.24.24	1" 1/2	60	48	105

Усуветлівка/Легенда:

Спојка 45° BSPP-BSPT

- elbow male coupling 45°
- Коляно 45°
BSPP-BSPT




Označenie Code Означеніе	ϕ R-BSPP	ϕ R2-BSPT	B	B2	CH	PN
60.03.04.04	1/4	1/4	22	21,8	14	350
60.03.06.06	3/8	3/8	23,5	24,1	19	350
60.03.08.08	1/2	1/2	28,5	29,7	22	200
60.03.12.12	3/4	3/4	31,5	30,5	27	200
60.03.16.16	1"	1"	37	37,6	33	120

Уыветлівка/Легенда:

L-spojka NPT

- elbow female coupling
90° NPT
- Коляно NPT




Označenie Code Означеніе	φ R-NPT	B	CH	PN
60.14.02.02	1/8	16,8	14	350
60.14.04.04	1/4	22,4	19	350
60.14.06.06	3/8	25,9	22	315
60.14.08.08	1/2	31,2	27	210
60.14.12.12	3/4	34,5	33	210
60.14.16.16	1"	41,4	41	120
60.14.20.20	1" 1/4	43,2	48	105
60.14.24.24	1" 1/2	62	68	105

Усуветлівка/Легенда:

L-spojka BSPP

- elbow female coupling 90° BSPP
- Коляно BSPP




Označenie Code Означеніе	ϕ R-BSPP	B	C	CH	PN
60.15.04.04	1/4	2	13	19	350
60.15.06.06	3/8	26	13	22	315
60.15.08.08	1/2	31	15	27	210
60.15.12.12	3/4	36	17	33	210
60.15.16.16	1"	42,5	20	41	120
60.15.20.20	1" 1/4	47	22	48	105
60.15.24.24	1" 1/2	62	24	68	105

Усуветлівка/Легенда:

Спојка 45° NPT

- elbow female coupling
45° NPT
- Коляно 45° NPT




Označenie Code Означеніе	φ R-NPT	B	CH	PN
60.16.04.04	1/4	17,5	19	350
60.16.06.06	3/8	19	22	315
60.16.08.08	1/2	23,9	27	210
60.16.12.12	3/4	25,4	33	210
60.16.16.16	1"	30,2	41	120

Усуветлівка/Легенда:

L-spojka redukovaná BSPT

- reduced elbow male coupling 90° BSPT
- Коляно редуциращо BSPT




Označenie Code Означеніе	φ R-BSPT	φ R2-BSPT	B	B2	CH	PN
60.19.06.04	3/8	1/4	31	31	19	420
60.19.08.06	1/2	3/8	37,3	32,5	22	420
60.19.12.08	3/4	1/2	40,4	40,4	27	280

Vysvetlivka/Легенда:

L-spojka BSPT

- male coupling 90° BSPT
- Коляно BSPT




Označenie Code Означеніе	φ R-BSPT	B	CH	PN
60.20.02.02	1/8	19,8	11*	420
60.20.04.04	1/4	27,7	14	420
60.20.06.06	3/8	31	19	420
60.20.08.08	1/2	37,3	22	420
60.20.12.12	3/4	40,4	27	280
60.20.16.16	1"	50	33	210

* AISI 316 L CH=14 B=23,5

Усуветлівка/Легенда:

L-spojka redukovaná NPT

- reduced elbow male coupling 90° NPT
- Коляно редуциращо NPT




Označenie Code Означеніе	φ R-NPT	φ R2-NPT	B	B2	CH	PN
60.21.06.04	3/8	1/4	31	31	19	420
60.21.08.06	1/2	3/8	37,3	32,5	22	420
60.21.12.08	3/4	1/2	40,4	40,4	27	280

Vysvetlivka/Легенда:

L-spojka NPT

- male coupling 90° NPT
- Коляно NPT




Označenie Code Означеніе	φ R-NPT	B	CH	PN
60.22.02.02	1/8	19,8	11*	420
60.22.04.04	1/4	27,7	14	420
60.22.06.06	3/8	31	19	420
60.22.08.08	1/2	37,3	22	420
60.22.12.12	3/4	40,4	27	280
60.22.16.16	1"	50	33	210

* AISI 316 L CH=14 B=23,5

Усуветлівка/Легенда:

L-spojka redukovaná NPT

- reduced elbow male
female 90° NPT
- Коляно редуциращо
NPT




Označenie Code Означение	φ R-NPT	φ R2-NPT	B	B2	CH	PN
60.25.02.04	1/8	1/4	16,8	27,7	14	350
60.25.04.06	1/4	3/8	22,4	31	19	350
60.25.06.08	3/8	1/2	31,7	37,3	22	210
60.25.08.06	1/2	3/8	31,2	32,5	27	210
60.25.08.12	1/2	3/4	31,2	40,4	27	210
60.25.12.08	3/4	1/2	34,5	40,4	33	210

Vysvetlivka/Легенда:

L-spojka NPT

- elbow male female 90° NPT
- Коляно NPT




Označenie Code Означеніе	φ R-NPT	φ R2-NPT	B	B2	CH	PN
60.26.02.02	1/8	1/8	16,8	19,8	14	350
60.26.04.04	1/4	1/4	22,4	27,7	19	350
60.26.06.06	3/8	3/8	25,9	31	22	315
60.26.08.08	1/2	1/2	31,2	37,3	27	210
60.26.12.12	3/4	3/4	34,5	40,4	33	210
60.26.16.16	1"	1"	41,4	50	41	120
60.26.20.20	1" 1/4	1" 1/4	43,2	60,5	48	105
60.26.24.24	1" 1/2	1" 1/2	52,8	67,1	68	105

Vysvetlivka/Легенда:

Спојка 45° NPT

- elbow female coupling
45° NPT
- Коляно 45° NPT




Označenie Code Означеніе	φ R-NPT	φ R2-NPT	B	B2	CH	PN
60.27.02.02	1/8	1/8	11,9	18,3	14	350
60.27.04.04	1/4	1/4	15,7	26,7	19	350
60.27.06.06	3/8	3/8	18,3	26,9	22	315
60.27.08.08	1/2	1/2	23,1	34	27	210
60.27.12.12	3/4	3/4	24,6	35,1	33	210
60.27.16.16	1"	1"	28,4	43,7	41	120

Усуветлівка/Легенда:

T-spojka BSPP

- equal tees
- Тройник BSPP




Označenie Code Означеніе	φ R-BSPP	B	B1	CH	PN
60.51.04.04	1/4	27	54	14	350
60.51.06.06	3/8	29	58	19	350
60.51.08.08	1/2	35	70	22	200
60.51.12.12	3/4	43	86	27	200
60.51.16.16	1"	50	100	33	120
60.51.20.20	1" 1/4	55	110	41	105
60.51.24.24	1" 1/2	60	120	48	105

Усуветлівка/Легенда:

T-spojka NPT

- female „T“ NPT
- Тройник NPT




Označenie Code Означеніе	φ R-NPT	B	B1	CH	PN
60.64.02.02	1/8	16,8	33,6	14	350
60.64.04.04	1/4	22,4	44,8	19	350
60.64.06.06	3/8	25,9	51,8	22	315
60.64.08.08	1/2	31,2	62,4	27	210
60.64.12.12	3/4	34,5	69	33	210
60.64.16.16	1"	41,4	82,8	41	120
60.64.20.20	1" 1/4	43,2	86,4	48	105
60.64.24.24	1" 1/2	52,8	105,6	68	105

Усуветлівка/Легенда:

T-сройка BSPP

- female „Т“ BSPP
- Тройник BSPP




Označenie Code Означеніе	\varnothing R-BSPP	B	B1	C	CH	PN
60.65.04.04	1/4	23	46	13	19	350
60.65.06.06	3/8	26	52	13	22	315
60.65.08.08	1/2	31	62	15	27	210
60.65.12.12	3/4	36	72	17	33	210
60.65.16.16	1"	42,5	85	20	41	120
60.65.20.20	1" 1/4	58,5	117	22	50	105
60.65.24.24	1" 1/2	61	122	24	68	105

Усуветлівка/Легенда:

T-спројка NPT

- derivating „T“ male/female NPT
- Тройник NPT




Označenie Code Означеніе	ϕ R-NPT	ϕ R2-NPT	B	B1	B2	CH	PN
60.67.02.02	1/8	1/8	16,8	33,6	19,8	14	350
60.67.04.04	1/4	1/4	22,4	44,8	27,7	19	350
60.67.06.06	3/8	3/8	25,9	51,8	31	22	315
60.67.08.08	1/2	1/2	31,2	62,4	37,3	27	210
60.67.12.12	3/4	3/4	34,5	69	40,4	33	210
60.67.16.16	1"	1"	41,4	82,8	50	41	120

Усуветлівка/Легенда:

T-спројка NPT

- derivating „T“ male/female NPT
- Тройник NPT




Označenie Code Означеніе	φ R-NPT	φ R2-NPT	B	B2	CH	PN
60.68.02.02	1/8	1/8	16,8	19,8	14	350
60.68.04.04	1/4	1/4	22,4	27,27	19	350
60.68.06.06	3/8	3/8	25,9	31	22	315
60.68.08.08	1/2	1/2	31,2	37,3	27	210
60.68.12.12	3/4	3/4	34,5	40,4	33	210
60.68.16.16	1"	1"	41,4	50	41	120

Vysvetlivka/Легенда:

TN 155

- L - spojka s hrdlom
- elbow coupling 90°
BSPP/BSPT
- TN 155 колено
BSPP/BSPT



Označenie Code Означеніе	φ R-BSPP	φ R2-BSPT	B	C	φ d	B2	F	CH	PN
TN 155 -1/4	1/4"	1/4"	24,5	11,5	6	27	14	14	350
TN 155 -3/8	3/8"	3/8"	29	12,5	9	30,5	15,5	17	350
TN 155 -1/2	1/2"	1/2"	30,5	13	11	35	17,5	19	200
TN 155 -3/4	3/4"	3/4"	37	14	16	42	18,5	27	200
TN 155 -1	1"	1"	43,5	17	21	47,5	20	36	120
TN 155 -1 1/4	1 1/4"	1 1/4"	50	19	26	54	23	41	105
TN 155 -1 1/2	1 1/2"	1 1/2"	58,5	23	32	62	23	50	105

Vysvetlivka/Легенда: