

1 Guarnizione O-Ring in VITON	**1** *VITON O-Ring seal*
2 Presa in ottone nichelato	**2** *Nickel-plated brass socket*
3 Anello in nylon	**3** *Nylon ring*
4 Guarnizione O-Ring in VITON	**4** *VITON O-Ring seal*
5 Sfera in acciaio AISI 420	**5** *Steel AISI 420 ball*
6 Ghiera in ottone nichelato	**6** *Nickel-plated brass sleeve*
7 Molla in acciaio AISI 302	**7** *Steel AISI 302 spring*
8 Seeger in bronzo	**8** *Bronze seeger*
9 Corpo in ottone nichelato	**9** *Nickel-plated brass body*



412
INNESTO CON ATTACCO MASCHIO - *FEMALE PLUG*



A	B	C	D	L	CH	Conf. Pack.
1/4	11	30	20	45	17	10

415
INNESTO CON PORTAGOMMA DIRITTO - *STRAIGHT PLUG WITH REST FOR RUBBER HOSE*



A	B	C	D	L	Conf. Pack.
8	27.5	45	20	60.5	10
10	27.5	45	20	60.5	10
12	33	50.5	20	66	10

416
INNESTO CON PORTAGOMMA A 135° - *PLUG WITH REST FOT RUBBER HOSE TO 135°*



A	B	D	L	L1	Conf. Pack.
8	27.5	20	70.5	28.5	25
10	27.5	20	71	29	25
12	33	20	75.5	33.5	25

418
INNESTO CON PORTAGOMMA A 90° - *PLUG WITH REST FOR RUBBER HOSE TO 90°*





A	B	C	D	L	L1	Conf. Pack.
8	27.5	39.5	20	55	49	25
10	27.5	39.5	20	55	49	25
12	33	39.5	20	55	55	25

511
PRESA CON ATTACCO MASCHIO - *MALE SOCKET*



A	B	C	L	CH	Conf. Pack.
1/8	6	21	27.5	5	10
1/4	8	21	29	8	10
3/8	9	21	30	10	10

512
PRESA PROLUNGATA CON ATTACCO MASCHIO - *EXTENDED MALE SOCKET*

A RICHIESTA
IF REQUIRED



A	B	C	D	L	CH	Conf. Pack.
1/8	27	21	21	50	5	10
1/8	60	21	21	100	5	10
1/8	60	21	21	150	5	10
1/8	60	21	21	200	5	10
1/4	27	21	20	50	8	10
1/4	60	21	20	100	8	10
1/4	60	21	20	150	8	10
1/4	60	21	20	200	8	10
3/8	35	21	11	50	10	10
3/8	60	21	11	100	10	10
3/8	60	21	11	150	10	10
3/8	60	21	11	200	10	10

513
ANELLO DI RICONOSCIMENTO - *IDENTIFICATION RING*



CODICE	COLORE/COLOR	A	B	C	Conf. Pack.
00513RO	ROSSO / *RED*	4.5	22	24.5	10
00513BL	BLU / *BLUE*	4.5	22	24.5	10



Dimensioni sede per presa 511
Seat dimensions for 511 socket

Misura	D	P	F
1/8	22	22	6
1/4	22	21.5	8
3/8	22	21.5	9

Dimensioni sede per presa 521
Seat dimensions for 521 socket

Misura	D	P	F
3/8	33	29	9
1/2	33	28.5	10

422
INNESTO CON ATTACCO FEMMINA - *FEMALE PLUG*



A	B	C	D	L	CH	Conf. Pack.
1/2	15	38.5	28	58	24	10

425
INNESTO CON PORTAGOMMA DIRITTO - *STRAIGHT PLUG WITH REST FOR RUBBER HOSE*





A	B	C	D	L	Conf. Pack.
13	33	55	28	75	10
16	33	55	28	75	10

521
PRESA CON ATTACCO MASCHIO - *MALE SOCKET*



A	B	C	L	CH	Conf. Pack.
3/8	9	32	37.5	10	10
1/2	10	32	38	12	10

523
ANELLO DI RICONOSCIMENTO - *IDENTIFICATION RING*



CODICE	COLORE/COLOR	A	B	C	Conf. Pack.
00523RO	ROSSO / *RED*	4.5	33	36	10
00523BL	BLU / *BLUE*	4.5	33	36	10